
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



U.S. Department of Agriculture Washington, D. C.

6214


L I ES F. REOL: AUG 2. 1 1920 U.S. Department of

EXCELSIOR NURSERIES

DESCRIPTIVE CATALOGUE

G. H. MILLER & SON ROME, GEORGIA





1910

Commercial Printing Co., Printers

Rome, Georgia

FOREWORD.

IN presenting a new edition of our descriptive catalogue, we are not unmindful of the support received and the many warm friends, who have extended the helping hand in the way of a healty patronage.

It has ever been our policy to keep abreast of the onward march of horticultural development; to that end we have increased our facilities for the production and handling of what may now be considered the most complete and varied assortment of fruit and ornamental trees, shrubs, vines, evergreens and roses to be found in the South.

We make no extravagant announcement, or promises impossible of fulfillment, but, believing that *"merit will win,"* we ask your patronage, confident that we can give you full value and entire satisfaction.

Planters all over the country will appreciate the fact that we are

Located in an Intermediate Climate.

where stock will not be injured by northern blizzards or extreme southern heat. Our soil is of the character best suited to produce the healthiest conditions of growth, and that solid, firm texture of the wood, with abundant fibrous roots so necessary to successful transplanting.

We have been over a third of a century in the nursery business and fruitgrowing. The assortment we grow is not restricted to the wants of any particular section, but we aim to grow

The Leading Varieties

that are in demand throughout our country, including those proved to be reliable.

It will be noted that we have omitted from the lists in both the Fruit and Ornamental Departments several varieties of Fruit and Ornamental Trees, Shrubs and Roses, which owing to the limited demand for them, we have concluded not to propagate longer.

We give the most careful scrutiny to the propagation of varieties, endeavoring by all methods known to us to protect ourselves from error or imposition, and rejecting anything of which we have reason to feel suspicious. By such careful and constant watching and attention, we are warrented in offering our stock as

Pure and Absolutely True to Name.

In this Catalogue we endeavor to give concise, honest descriptions, giving some of the desirable qualities, and an idea of their nature and habits. We do not recommend everything in this list as being *the very best* or most desirable for everybody. Some are best adapted to certain localities.

When our patrons desire us to aid them in making a selection of varieties we will cheerfully do so upon their stating to us the general character of their soil and situation, and whether the fruit is wanted for home use, for near market or distant shipment.

We wish to say that we believe the South offers a most inviting field for commercial fruit-growing, both to supply northern markets and to be prepared to supply the manufacturing cities and communities that are certain to be built up right in our midst.

While we will most gladly lend a helping hand to the commercial grower, still our most cherished aspiration is to see the hills and valleys of the South dotted over with fruit-gardens and orchards, and the homes of the people surrounded with shade-trees, shrubbery and flowers.

We have the best facilities for distribution, having seven lines of railroad radiating from Rome and steamboat navigation.

BUSINESS NOTES.

Our Shipping Season commences about October 15, and continues with but slight interruption until about March 15.

Order Eearly in the Season.—Don't wait until you are all ready to set the trees and plants, and then send your order marked, "*Fill at once*, as my ground is ready;" but please remember that we may have other orders on hand, received previous to yours that must be filled first; and if you have given us an order, and wish to change it, please do not wait until the rush of the shipping season when hundreds of orders have to be dispatched in a single day.

Packing.—We have every appliance for packing in the best possible manner. We use for the most strong paper-lined cases.

Write Orders Plainly on a separate sheet and do not include them in the body of the letter. Be careful to state the age, size and variety of stock wanted.

Give plain and explicit directions for marking and shipping. When no shipping directions are given, we will use our best judgment in forwarding, but in no case do we assume any responsibility after delivery to the forwarders.

Always in writing to us give name and address plainly and in full. No matter how lately or how often you may have written to us, always give name, post-office, county and state in full, and distinctly.

Remit by draft, post-office money order, express money order, by express or registered letter. Terms, cash with the order, unless otherwise agreed.

Dealers purchasing from us sell upon their own responsibility. While we insure our stock in good condition when it leaves our hands, we at the same time disclaim any liability for any failure after it leaves our care, whether from defective planting, faulty treatment, unfavorable seasons, or any other cause whatever. And while we guarantee our stock true to name, and exercise the greatest care to have it so, we will not be held responsible for any sum greater than the cost of the stock, should any prove untrue.

We desire to commend our traveling salesmen to the public. We employ no one to represent us, unless he can furnish satisfactory evidence that he is *honest* and *reliable*, and has a reputation at stake. Those authorized to represent us are provided with a certificate to that effect, signed by us.

Our Guarantee.—We guarantee all our stock to be true to name, and we will refund money or replace any trees that may prove otherwise; but it is mutually agreed between ourselves and every purchaser that we are not liable for any amount greater than the price paid for the goods.

Conditions.—All orders are accepted on the condition that they shall be void should our stock be injured by frost, hail or other causes over which we have no control, to such an extent as to render us unable to fill the order,

Errors.—We exercise the utmost care in filling orders, but during the rush of the busy season, an error is occasionally made, and satisfactory correction will be promptly made upon notification. Keep a copy of your order for comparison. All claims for errors must be made within five days after receipt of goods, otherwise they will not be entertained.

Insects and Diseases.—Our Nurseries are free from these. Certificate of State Entomologist is attached to every shipment.

We have a fine fumigating plant and are prepared to fumigate all shipments,

Hints on Planting and Care of Trees.

It is in the highest degree important that every cultivator of trees should understand the art of transplanting, as upon this operation depends in a great measure, their feebleness or vigor afterwards, their sluggish or thrifty growth, and indeed, vitality itself. We give a few important instructions that if strictly followed will insure to the purchaser of healthy stock the desired result of his investment.

Size of Trees.—Select thrifty young trees, rather than old or very large ones, the former bear transplanting better, can be more easily trained to any desired shape, and eventually become more valuable.

When trees arrive at their destination, they should be unpacked as soon as possible, and the roots placed immediately in a trench, and covered somewhat deeply with mellow earth, from whence they may be taken, a few at a time, as wanted for planting. While trees are out of the ground the roots must be protected from sun and air.

The Soil.—Let the soil be well drained if not naturally so, as no satisfactory results can be expected where the surplus water cannot readily escape; then put it in a condition good enough for a crop of wheat or corn by repeated plowing and the application of manure as may be needful.

Time for Planting.—A tree planted in November or December will by the ensuing spring, have formed sufficient new roots to give it a firm hold in the ground, and will grow off rapidly when active vegitation commences. Trees can be transplanted as late here as March, and in some seasons until the first of April.

Pruning.—The proper pruning of a tree at the time of planting, and regularly thereafter, is essential. The first thing to be done is to cut off the ends of all bruised or broken roots, with a sharp knife, as a clean cut will heal much sconer than a bruise. Next, if it be a standard tree for the orchard, trim it up to four or five limbs, suitable to form the top, and cut each of the side limbs back to a bud four or five inches from the body of the tree, leaving the leader or central limb from eight to twelve inches long. When there are no side limbs suitable for this purpose, the tree should be divested of all its branches and headed back to a proper height to form the top; cut back one-year-old peach to a single stem two or three feet high.

Cut back grape vines to two or three eyes, let only one grow the first year.

Cut back raspberries and blackberries to within one foot of the ground.

Cut back gooseberries and currants to one or two eyes of last seasons growth.

Transplanting Roses.—Two-year plants, which we sell chiefly, should be planted rather deep and then cut the top back near the ground; leave several buds; cover over the entire top with moist earth. As the buds are swelling, remove the dirt and there will be a strong, vigorous growth, no drying back. Nine-tenths of the roses die because they dry back from exposure.

Planting.—Dig the hole large enough to receive all the roots without crowding or bending them; then partly fill with good surface earth, so as to fit it for the tree to stand about the same depth that it did in the nursery; then put the tree in the place thus prepared for it, and fill in the finest of the soil working it thoroughly among the roots with the hands, and when full pack it moderately from the outside of the hole towards the body of the tree.

Mulching.—Mulching newly planted trees will be found particularly beneficial in guarding against the effects of the drouth. Cover the ground from the tree beyond the end of the roots with a layer of coarse manure or litter, six to eight inches deep.

Cultivation .- Cultivate your young trees as well as you do your corn or cotton.

Do not plant small grain or corn among the young trees, but sweet potatoes, peas, cotton, etc., if well cultivated and manured, may planted during the first few years after planting in the orchard, without injury. Do not let horses or cattle run in an orchard unless you wish to destroy it.

CATALOGUE OF EXCELSIOR NURSERIES

DISTANCES FOR PLANTING.

Standard Apples		h way
Standard Pears and strong growing Cherries		4.1
Standard Pears and strong growing Cherries Duke and Morello Cherries		4.4
Standard Plums Apricots Peaches Nectarines	16 to 20 " " "	4.4
Dwarf pears and Quinces		6.6
Grapes	rows 8 to 10 feet apart-7 to 16 feet in	rows.
Currants and Gooseberries		apart.
Raspberries and Blackberries		apart
Strawberries, for field culture		apart
Strawberries, for garden culture		apart

Number of Trees or Plants on an Acre at Given Distances Apart.

Dis. apart each way.	No. of Dis. apart Plants each way.	Dis. apart each way.	Dis. apart each way.	No. of Plants
2 feet		 14 '' 15 '' 16 ''	 25 " 30 " 35 "	

RULE.—Multiply the distance in feet between the rows by the distance the plants are apart in the rows, and the product will be the number of square feet for each plant or hill, which divided into the numbers of feet in an are (43,560) will give the number of trees or plants to the acre.

The rapid increase of insects and fungus diseases injurious to fruit and fruit trees renders it necessary for the fruit growers to obtain a knowledge of their habits and of the best remedies for the destruction of insects and prevention of fungus diseases, The limit of this catalogue will not allow space but for a few of the leading formulas and reference to a few of the insects and diseases that infect fruit trees, The fruit growers should apply to the Agricultural Experiment Station, asking them to furnish bulletins in regard to the treatment of fungus diseases and destruction of injurious insects.

FORMULAS FOR SPRAY MIXTURE—Fungicides.

(For Rots, Blights, Mildew and other Funguous Diseases.)

Bordeaux Mixture.—Copper Sulphate (Blue Vitrio) 3 to 4 lbs; Quick or Stone Lime, 3 to 4 lbs; Water, 45-50 gallons. Dissolve the Copper Sulphate in an earthen or wooden vessel with three gallons of hot water; or preferably, put it in a coarse sack (burlap or cheese cloth,) and hang this in 4 to 6 gallons of water near the surface. When dissolved pour into the spraying barrel and fill the barrel about half full of water. Slake the lime, dilute it in 10 to 15 gallons, and pour this milk of lime into the barrel through a wire strainer. Do not mix the Copper Sulphate and lime when less dilute than this, as the resulting Bordeaux is likely to be lumpy, will settle quickly, and is more liabie to burn the foliage. Add water to fill the barrel and stir the mixture well for a few minutes. Agitate frequently while it is being applied, If spraying peaches or Japan plums, use 2 lbs. of Copper Sulphate instead of 6, and add an excess of lime.

Lime-Sulphur for San Jose Scale, etc.

Lime	
Sulphur	
Water to make	
	~

Boil one to two hours with small quantity of water, then dilute to 50 gallons with boiling water. Do not let mixture become cold; spray while yet warm. For winter or early spring use.

Kerosene Emulsion.—In making kerosene emulsion for spraying trees for lice, be sure and follow the correct method. Dissolve in two quarts of water, one quart of soft soap or one-fourth pound of hard soap by heating to the boiling point, then add one pint of kerosene oil and stir violently for from three to five minutes, This may be done by using a common force pump and putting the end of the hose back into the mixture again. This mixes the oil permanently, so that it will never separate, and it may be diluted easily at pleasure. This mixture should be diluted to twice its bulk with water or about fourteen times as much water as kerosene.

6

APPLES.

Apple Worm (*Carpocapsa pomonella*, or Codling Moth).—Spray with arsenate of lead at the rate of two pounds to fifty gallons of water, and Bordeaux mixture (six pounds lime, three pounds bluestone), after the blossoms have fallen, and before the calyx lobes close. Repeat in one week. It is generally conceded that earlier or later sprayings than mentioned above are of no value against the first brood, when dealing with the codling-moth. It is necessary, therefore, to spray just after the petals fall and before the calyx lobes close, in order to fill this cup with poison at the only time it is possible to do so. A second brood of apple worms appear from the middle to the last of June, in Georgia—later farther north and spraying for this brood is advisable in many cases. As a general rule spray the last week in June, and again two weeks later, with Bordeaux-arsenate of lead mixture. Bordeaux, not being strictly an insecticide, does not act against the codling moth, but it is always well to use it with arsenate of lead to prevent apple scab or other funguous diseases.

Woolly Aphis (*Schizoneura lonigera*)—For above-ground colonies, wash trees with solution of whale-oil soap or kerosene emulsion. For root-inhabiting colonies, remove the soil to a depth of about three inches, or sufficient to partially expose the roots; open a circle from four to eight feet in diameter, depending on the spread of the roots, distribute three to eight pounds of tobacco dust or use 15 per cent kerosene emulsion. Enough emulsion should be used to saturate the soil to a depth of three or four inches. Recent experiments have shown that kerosene emulsion may be used with success. Tobacco dust is of more value as a preventative and fertilizer. Badly infested trees should receive kerosene treatment.

PEACHES AND PLUMS.


Curculio (*Conotrachleus nenuphar*).—Spray the trees before the blossoms open, with a solution of arsenate of lead, three pounds; lime, two pounds to fifty gallons of water. Use Bordeaux with arsenate of lead when the blossoms have fallen; ten days later Bordeaux and arsenate of lead. If peach and plum trees are in foliage, use three pounds of copper sulphate, nine pounds lime and fifty gallons of water; a stronger mixture will burn the foliage.

Borer (*Saperda candida*).—Examine trees in spring and again in June and dig out the grubs with a wire. Then wash the collar of roots and parts of the body with a mixture of lime and sulphur.

SPRAYING.

We cannot be to emphatic in impressing on the horticulturist to spray his fruit trees and grape vines if he desires good fruit. Follow directions carefully. Experiments frequently result disastrously. Careless spraying will result in loss of fruit and sometimes the trees. Every fruit grower should purchase a spraying apparatus; they can now be had for a small sum. Be careful in keeping 'your 'solution continually stirred. The best time for spraying is late in the afternoon or during cloudy weather, except with kerosene emulsion; this should be used on bright sunshiny days. (We recommend the Gould Pumps. Write us for prices on these; we can save you money.)

FRUIT DEPARTMENT.



REIGEL

APPLES.

The Apple is our most useful fruit, and there can be no question as to the propriety and necessity of the farmer planting apples enough to secure an abundant supply through the whole year.

As to growing apples for market, while we would not base our expectations for profit entirely on reports of crops that have yielded profits \$300 to \$400 per acre, or on the fact that single trees have produced \$30 to \$50 worth of apples at one crop. yet we believe that with a judicious selection of varieties and good culture, apples will prove more remunerative than any farm crop that can be grown. Ten years from planting, good bearing varieties may be relied on to yield three barrels per tree; this gives us one hundred and fifty barrels per acre. If sold at only one dollar and fifty cents per barrel, this would give \$225 per acre. But even half this sum, when we consider the rapidly increasing produce of the trees for many years will satisfy any reasonable man of the expediency of planting large orchards of apple trees.

The season of ripening and use given for each variety applies to our own locality. Buyers must make due allowance corresponding with difference of latitude and elevation.

SUMMER APPLES.

- Astrachan Red, Large; yellow, nearly covered with crimson; flesh tender, juicy, acid and pleasant; tree a splendid grower. June.
- **Brilliant.** This apple originated in Middle Georgia. The tree is extremely vigorous and hardy and well adapted to this latitude. The apple is above medium size, slightly oblong. Color, bright, yellow ground, partially covered with beautiful bright red, a very beautiful apple, sub-acid, ripens about middle of August, very profitable in its season as there are very few good apples that ripen that season of the year.
- Early Harvest. Above medium size; skin bright yellow; flesh juicy. crisp and well flavored. June.
- Early May. Ripens among the earliest, the trees being healthy and productive. May 20 to June 1.
- Liveland Raspberry. Most valuable of the Russians; medium to large; beautiful, clear, waxen white, marbled crimson; very hardy; tested everywhere.
- Golden Sweet. Large, pale yellow; very sweet and good; good bearer. July.
- Horse. Large, roundish; skin yellow, slightly tinged with red in the sun; flesh yellow, acid and tender. July and August.
- **Red June.** Medium to large, oblong; deep red, sometimes with splashes of yellow; very tender, juicy and high-flavored. June 15 to middle of July.
- Striped June. (Syn., Early Red Margaret). Medium conical; red striped on yellow ground; tender, rather dry, subacid. Middle of June to middle July.
- Summer Queen. Medium to large; yellow streaked with red; flesh tender with an acid, aromatic flavor. Last of July.
- Sweet Bough. Large pale greenish yellow; tender and sweet; good bearer. July.
- Yellow Transparent. Tree a medium grower and unusually early bearer, and is considered the most valuable early apple yet produced; fruit of good size and quality; skin clear white, changing to a beautiful yellow when fully ripe; ripens from ten days to two weeks before Early Harvest.

CATALOGUE OF EXCELSIOR NURSERIES.



BRILLIANT.

FALL APPLES.

- **Buckingham.** (Syn. Equinetelee, Kentucky Queen, etc). Very large, oblate; yellow, with bright red cheek and crimson stripes, flesh yellow, subacid, very rich and juicy; a magnificent fruit. Ripe by end of Sepeember, and lasts until December; tree compact and vigorous grower; bears young.
- **Carter's Blue.** (Syn., Lady Fitzpatrick). Very large; green, washed dull brownred with a thick blue bloom; crisp, sugary, with a rich aroma. Ripe in September; tree vigorous grower and fine shape; an excellent and desirable fruit.
- **Fall Pippin.** Very large, roundish, oblong; yellow; flesh tender, rich and delicious, subacid. September and October.
- Jeffries. It bears early, and is one of the most constant and abundant bearers of which we have any knowledge. No family orchard should be without it. We have never known it to be exhibited at any fair under the class of early fall desert apples, but that it obtained the first prize. The fruit is above medium size, smooth, yellow, mixed and splashed with crimson, beautiful in appearance. The flesh is yellow, fine grained, breaking juicy, aromatic, delicious Good for table of market.
- Maiden's Blush. Medium size, flat; pale yellow with a red cheek; beautiful. September and October.
- **Reigel.** This apple originated in Middle Georgia. Is a vigorous grower and heavy bearer. The apple is above medium in size. In color is mostly covered with dark red, much like winesap. It ripens through the month of September. Mild, subacid, exceedingly rich in flavor, of the very highest quality.
- Wealthy. Size medium, color bright red; quality excellent; tree productive and hardy.

WINTER APPLES.

- Arkansas Beauty. A recently introduced variety. Large; beautiful light crimson in the shade, darker in the sun, with indistinct splashes and stripes over whole surface of dark crimson; flesh fine grained, whitish, tinged with red and yellow; rich subacid; quality very good to best. November to March.
- Arkansas Black. Tree a beautiful upright grower; young wood very dark. "There is scarcely an apple that is more brilliantly colored; round or slightly conical regular; smooth, glossy, yellow where now covered with deep crimson, almost black; flesh very yellow, firm, fine.grained, juicy, subacid, pleasant rich." A long keeper. A most profitable and attractive market apple. Has been kept till June and later.
- **Ben Davis.** (New York Pippin). Large size, round to oblong; skin yellow, splashed with bright red; flesh whitish, tender and juicy, with subacid flavor, tree remarkably healty and vigorous, and an early and abundant bearer; a nost profitable winter apple. Keeps well.
- **Black Twig.** (Arkansas). Resembles the Winesap in every way, except that the tree is a better and much more vigorous grower, more hardy, and the fruit is much larger, many specimens being twelve inches in circumference.
- Clayton. A valuable late-keeping market apple. Tree vigorous, long-lived, and a wonderful bearer. Fruit large, nearly covered with red; juicy, mild, good. Jannary to May.
- Ensee. Originated in Ohio; large, handsome red apple, good keeper, valuable; a Rome Beauty Sdlg. of promise.
- Gano. (Red Ben Davis). Large, smooth; deep red; attractive and good. An early annual and prolific bearer.
- Grimes Golden. Tree vigorous and hardy, very productive; fruit medium size, golden yellow, crisp, juicy and fine flavor. November to January.
- **Heslep.** (Origin, Polk County, Ga.) Resembles Shockley in size, color, productiveness and keeping qualities, but is of much better quality, and is a valuable market variety.
- **Kinnard.** Much the finest early to mid-winter apple we know. Fruit medium to large, roundish, oblate; skin yellow, almost covered with dark red or crimson; flesh yellow, fine grained, tender, rich, jnicy, aromatic; most excellent. No apple grown is of better quality. Tree vigorous and bears young.
- Missouri Pippin. Large, oblong, bright red, with numerous gray dots; very handsome and of fair quality; an early and very abundant bearer and a very profitable orchard fruit; vigorous. December.
- **Rawles' Janet.** Medium size; striped with dull red, and keeps remarkably well; tree vigorous, spreading; it puts forth its leaves and blossoms much later than any other variety in the spring, and consequently avoids injury by late frosts. Long keeper.
- Red Limbertwig. Medium, dull, rusty red; flesh yellow, firm, subacid, very good. Tree thrifty, but open grower. Keeps well.
- **Red Romanite or Carthouse.** One of the best winter apples for planting South. On good soil the fruit is fair and of good size, and has the good property of holding on to the trees until late in the season. One of the best keepers.
- **Rome Beauty.** Large, yellow, beautifully striped with bright red; tender, juicy, rich, excellent, very popular. November to January. The tree is an early, regular and enormous bearer. The tree is very hardy, blooms late, scatters its bloom more than most any other apple, limbs very tough and rarely ever break when heavily loaded.

- Royal Limbertwig. Very large; pale yellowish, blushed or striped with red; rich, juicy and very good. November to February.
- Jonathan. Vigorous habit, productive in all soils, which makes it one of the most desirable apples. Medium size, very regularly formed. Yellow ground almost covered with lively red splashes which turns to a dark red in the sun. Flesh white, very tender, juicy, with the finest flavor. Very desirable for home use.
- Shockley. Medium, conical; skin yellow, overspread with crimson; flesh crisp, juicy, sweet and slightly vinous; tree a very rapid and compact grower and early bearer, often bearing fruit the second year after transplanting; desirable winter variety for the south, where it not only bears regular and abundant crops, but keeps until June; a very profitable market variety.
- Stayman Winesap. Larger than old Winesap; color dark red; fine grained breaking, juicy, very high quality; tree strong grower, long lived.
- **Terry.** A long keeping apple originating in Middle Georgia. It is much larger than the shockley and of good quality, very productive. It is considered a most promising variety, both for home use and for market. We think it will succeed further South than any other variety of the same quality.
- Winesap. Medium to large; red, firm. subacid; tree an excellent grower; good keeper,
- Winter Queen. (Poorhouse). Large, roundish oblate; pale yellowish green, russet spots; flesh yellowish, moderately juicy, mild, subacid; very good. Tree vigorous, compact grower. This is a valuable addition to our varieties, as it is an exceptionally good shipper and keeper. Ripens last of October.
- Yates. (Syn., Red Warrior). Small, oblate, skin greenish yellow, shaded and striped with red, with many light dots; flesh white, tender, juicy and good. Very long keeper.
- York Imperial or Johnson's Fine Winter. Large, truncated, oval, angular; greenish yellow, nearly covered with bright red; flesh tender, crisp, juicy, aromatic; an

enormous bearer, and hangs well on the tree. It is also a good keeper. retaining its flavor to the last. February to April.

DWARF APPLE.

For the garden or small yard where standard apple trees take up too much space dwarfs may be planted; they bear quickly, have low, broad heads and fruit can be easily picked. They can also be planted much closer than the standard tree. We propagate those varieties that produce handsome fruit. Selection should be left to us.

CRAB APPLES.

Crab apples succeed in all sections, and are valuable for cider, preserving, jelly or ornament, and some of the improved sorts are excellent for eating. Sent to the eastern markets they meet a ready sale.

- **Hyslop.** Almost as large as Early Strawberry apple; deep, crimson; very popular on account of its Jarge size, beauty and hardiness.
- Martha. A new Crab. A rapid, stiff grower, a perfect pyramid in a tree; great bearer of the most beautiful fruit. Flavor a mild, clear tart; surpassing all other Crabs for culinary purposes, and fair to eat from hand.

Transcendent. Large; red, handsome and showy; desirable and one of the best.

Whitney's No. 20. Large, averaging 1½ to 2 inches in diameter; skin smooth, glossy green, striped carmine; good keeper; hardy, productive, vigorous and fine.

PEACHES.

The Peach is universally regarded as the most delicious fruit of our climate, and it is nowhere produced in such great abundance and with as little labor as in this country. It succeeds best on sandy and clay loams in elevated locations.

Peach trees should be planted when of one season's growth from the bud. For orchard planting the ground should be well prepared as for a crop of corn then marked out in furrows sixteen to twenty feet apart, and the trees planted about the same depth they stood in the nursery. The side limbs and tops should be cut off, leaving a straight stem of the desired height forming a head. The trees should be kept clear of all useless growth, the top and side branches should be occasionally shortened in so as to give a vigorous growth, and form a symmetrical head. The trees should receive about the same cultivation as a crop of corn or potatoes.

While it will pay every land owner to plant enough peach trees to insure for his family an abundance of this delicious fruit. it is also an established fact that there are sections all over the South where money invested in commercial peach orchards properly managed, is one of the best investments that can be made.

In the following descriptions free stones are marked F, clings are marked C, and semi-clings are marked S-C.

FIRST RIPENING.

- Mayflower. Semi-cling. Ripe May 20 to 25. The earliest Peach known. Size medium; round, bright red all over; ripens well to the seek; tender, juicy and of excellent flavor. Tree bears young and is very prolific. Aside from its desirability in the home orchard, it is a valuable acquisition to the market varieties, as its earliness and beautiful bright color will make it a good seller.
- Sneed, S-C. Medium; creamy white, with carmine mottling; flesh greenish white, juicy; quality fair. Ripens on an average of six to eight days before the Alexander.
- **Greensboro**, **S-C**. Originated in North Carolina; said to be larger than Alexander and earlier; beautiful crimson with yellowish tint; flesh white, very juicy; of excellent quality.
- Alexander, S-C. Fruit medium to large, bright color and excellent quality. Last of May.
- **Admiral Dewey.** A perfect freestone of fine size, form and color, with delicious yellow flesh that is yet firm enough to ship well. The tree is a strong, hardy, symmetrical grower and produces well.

SECOND RIPENING.

- Arp Beauty, F. A new peach. Large yellow peach. Very highly commended where tried. Ripening about four weeks ahead of Elberta.
- Early Rivers, F. Large, light straw color, with delicate pink cheek; flesh juicy and melting, with a very rich flavor; peels readily at maturity. The most beautiful of early peaches.
- Early Tillotson, F. Medium; skin yellowish white and nearly covered with red, darkening on the sunny side, a good market variety.
- Honey, F. Red cheek; white flesh of delicious honeyed sweetness, medium size, almond-shaped, large; pretty; very early in bloom. Best near the Gulf coast.

Peen-to or Flat Peach, C. Similar in habit and quality to Honey Peach, but flattened from stem to point; bloom very large and early. Does finely in Florida and along the Gulf coast.

THIRD RIPENING.

- Carman, F. Large; creamy white, with deep blush; skin tough, but flesh very tender and of fine flavor; prolific bearer. A most prolific and popular shipping variety. Ripens June 20 to July 1.
- Hiley F. (Early Belle). Large; white, with beautiful red cheek: flesh white, quality best. Proliffc bearer. Ripens June 25 to July 5. The best shipping variety of its season, which makes it very valuable.
- Mountain Rose, F. A very valuable variety; beautiful high color and fair size, flesh white, juicy, rich and excellent.
- Governor Hogg. Large; white, with beautiful cheek, flesh white, tender and juicy; highly flavored; red at pit; semi-cling; June 20 to 25.
- Waddell, F. Of medium size, fine shape; skin greenish white, almost covered with red; flesh white, and juicy; very prolific; a fine market sort. June 25.
- Yellow St. John, F. (Syn., May Beauty). Nearly equal to Early Crawford, more productive and comes in before that standard sort.

FOURTH RIPENING.

- Amelia, F. Very large white, nearly covered with crimson; juicy, sweet, melting and of the highest flavor; a magnificent peach.
- Foster, F. Very large, uniform in size; bright yellow, almost covered with carmine; melting, juicy and well flavored.
- **Champion, F.** A western peach of very large size and good quality; also noticeable for the regularity of its bearing. Skin is of a rich creamy white, with a red cheek; flesh creamy white, sweet and delicious, rich and juicy.
- Slappy, F. Clear golden yellow, with dark cheek; flesh yellow and of good quality. 1s inclined to develop an imperfect side, although it is a popular market variety in some sections, Ripens early in July.

FIFTH RIPENING.

- Crawford's Early, F. Large, oblong; skin yellow, with red cheeks; flesh yellow, melting, sweet and rich.
- General Lee, C. Very large; skin creamy white, shaded with red, flesh juicy, of high flavor; good market variety.
- **Belle**, **F**. Very large, skin white with red cheek; flesh white, firm and of excellent flavor; fruit uniformly large and showy; tree a rapid grower and very prolific. A seedling of the Chinese Cling.
- **Elberta, F.** Very large; skin golden yellow where exposed to the sun, faintly striped with red; flesh yellow; very fine grain, juicy, rich, sweet and splendid flavor; tree very prolific, presents a handsome appearance, and is of more luxuriant growth than the Chinese Cling, from which it is a seedling. It is a perfect freestone, and one of the most successful market varieties, selling uniformly at higher prices than any other peach. Middle to last of July.
- Thurber, F. A seedling of Chinese Cling, which it resembles in size and color, but is more delicate and highly flavored,
- **Globe**, F. Very large; light golden yellow, with red blush, flesh light yellow juicy rich and of the best quality.

Wheatland, F. An improvement on the Crawford's Late, ripening just in advance of it; extra large; beautiful golden yellow, with crimson cheek, of best quality.

SIXTH RIPENING.

- Mrs. Brett, F. Large; white, red cheek; vigorous and productive. It took the premium at the exhibition of the Mississippi Valley Horticultural Society in St. Lonis, 1880, as the best variety, over all competitors.
- Chinese Cling, C. Very large, globular; skin creamy white and shaded with red; fiesh white, red at the stone; vinous, very juicy and melting; an excellent variety.
- Chinese Free, F. Seedling of Chinese Cling; size large, roundish, oblong; skiu white, with red cheek; flesh red, firm and well flavored; a desirable market variety.
- Snow Cling, C. Fruit of large size, clear white, beautiful; flesh firm, and in quality unsurpassing for preserving and a desert fruit, bloom white, young shoots very light colored, very desirable.
- **Crawford's Late, F.** Much larger than Crawford's Early, though it resembles it in shape, color and quality, and ripens about ten or fifteen days later; one of the leading market varieties.
- Old Mixon Free, F. Large inclining to oval; skin yellowish white; fiesh white, juicy, rich and vinous.
- **Old Mixon Cling, C.** Large, pale yellow, with red cheek; fine-grained, rich and juicy, good.
- Stevens' Rareripe, F. The fruit in appearance somewhat resembles an enlarged and remarkably high-colored Old Mixon Free. In flavor, as well as in appearance, it is superb.
- Stump the World, F. Fruit very large; skin creamy white, with a bright red cheek; flesh white, juicy, and high-flavored; very productive; a fine market variety.

SEVENTH RIPENING.

- Lemon Cling, C, Very large, oblong, having a swollen point similar to a lemon; skin yellow, with red cheek; flesh yellow, firm, juicy and sweet,
- Smock, F. Fruit large, oval; skin orange yellow, mottled with red; a good market sort.
- Chairs' Choice, F. A late yellow-fleshed sort of largest size; deep yellow with red cheek; flesh firm and in quality unsurpassed.
- **Orange Cling, C.** Fruit very large, yellow with a dark crimson cheek, rich sugary and vinous flavor; tree a good grower, somewhat spreading.

EIGHTH RIPENING.

- Heath's Cling, C. (White English, White Heath, White Globe, etc.) Large oval with a sharp apex; skin white, sometimes with red cheek; pure white, juicy, sweet and somewhat aromatic; excellent for preserving. This is a well known variety in some localities. Ripens in September.
- Wilkins or Ringgold Mammoth Cling. Originated in Kent County, Maryland, of immense size; clingstone, beautiful blush; white flesh, has been sold as high as \$8 per crate in the Baltimore market.
- **Picquet's Late, F.** Origin, Georgia. Very large; yellow with red cheek; sweet and of excellent flavor.
- Salway, F. Large; yellow, beautifully mottled with brownish red, flesh yellow. An excellent variety for display.

- **Eaton's Golden, C.** Medium, skin golden yellow, with occasionally a few pink spots; flesh yellow, sweet, juicy, with apricot flavor. Middle of September. A superior variety for canning.
- Henrietta, C. (Levy's Late.) Handsome late yellow cling, of large size, productive and excellent; among other merits, possesses long keeping qualities.

NINTH RIPENING.

- **Bilyeu's Late October. F.** Large, white peach with a beautiful blush; ripens two weeks after smock; valuable; tree a strong grower and wonderfully productive. Has been shipped to Europe and arrived in good order.
- Bustin's October, C. Large, pure white. A very good late variety.
- Hughes' I. X. L., C. Originated in Louisiana, ripens in October, making a very late peach. Said to be the largest and best peach of the season; produces fruit large and with a distinct suture; color a beautiful yellow, tender, juicy, of fine flavor. A very fine shipper.
- Stinson's October, C. Large; white with red cheek; of very good flavor. The best very late peach. The most profitable late peach yet introduced for Southern markets. Middle of October.

PEARS.

Good pears are among the best of all fruits. As a dessert they stand at the head of the list. They can be had to suit all tastes and in nearly all seasons of the year. The culture of the pear is extending rapidly, as is evinced from the greatly increased demand for the trees. The soil for pears should be deep, rich and free from wet. The list of select varieties is reduced to such as have been well tested and proved valuable throughout the largest section of the South. We grow standard Pear trees principally, but can supply dwarfs a few varieties denoted thus: *

EUROPEAN PEARS.

- Alamo. Origin, Texas; large; yellow with bronze cheek. Tree a vigorous grower; bears young.
- Bartlett. Large; clear yellow skin: buttery, very juicy and high-flavored; early and great bearer. Su...mer.
- Buerre d'Anjou.* Large; yellowish, somewhat russeted, red cheek; fine grained, buttery, melting and excellent. Autumn.
- Clapp's Favorite.* Large; resembling Bartlett, ripening a few days earlier; productive. Summer.
- Duchess d'Angouleme.^{*} Very large; dull yellow; buttery, rich, juicy and excellent; does best as a dwarf. Autumn.
- Flemish Beauty. Large; greenish yellow, russetted; sweet and rich, excellent flavor; productive. Summer.
- **Howell.**^{*} A fine large pear, sweet and melting; pale yellow, with a red cheek and patches of russet. Summer.
- Jefferson. The Jefferson is in market as early as the earliest peaches, and brings the highest prices. It is above medium size, pyriform in shape; color bright yellow, with a bright deep crimson cheek. One of the best paying market pears for Southern planting that can be raised.

- **Koonce.** New. Originated in Illinois and described as the best very early pear, ripening two weeks before the Early Harvest; medium to large size; yellow, one side of which is covered with red; does not rot at the core; very productive; handsome; a good shipper; profitable tree, vigorous, upright.
- Seckel. Small; rich, yellowish brown; and one of the best flavored pears known; productive. Late summer.
- Sheldon. Above medium; dark yellow or russet; rich, melting and high-flavored; first-rate quality. Early fall.

ORIENTAL PEARS.

This race of pears is remarkable for its vigor of growth, luxuriant foliage extreme hardiness, and freedom from disease—so that they have been valued as ornamental lawn trees, and although the fruit is not of the best quality, it has a peculiar quince-like flavor, which, combined with its firmness, makes it superior to any other variety for canning, excelling even the justly famous Bartlett for that purpose. The commendable qualities of these Oriental pears give them a recognized place, and they are yearly being planted in greater quantities by discriminating fruit growers who are looking for profit.

This Type is Peculiarly Adapted to the South.

- **Garber**. Resembles the Kieffer in size, appearance and quality, but matures here in August, and between the Le Conte and Keiffer. A thrifty grower and valuable variety.
- Japan Golden Russett. Large, almost globular; entirely covered with russet; firm, juicy; excellent for canning and preserving. A strong vigorous grower.
- Keiffer. Fruit large to very large; skin yellow. with a light vermillion cheek; flesh brittle, very juicy, with a marked musky aroma; quality good. Matures from September to October. Tree vigorous and very prolific. Begins to bear when four years old. If the fruit is allowed to hang upon the tree until the beginning of October, and then carefully ripened in a cool, dark room, it is a very attractive Pear.
- Le Conte. (Chinese Pear.) Fruit large, pyriform; skin smooth, pale yellow; quality very variable, usually of second quality, but if allowed to mature slowly in cool, dark room, its quality improves remarkably. Maturity from July 20 to end of August. Trees begin to bear when five years old.
- Smith's. Almost indentical with Le Conte in size, shape and quality, but a few days earlier.
- Magnolia. Ripe October 1 to 20. A new Japanese variety of great merit. Its marked points of superiority are its large size, late-blooming, long-keeping, strong-growing and free-bearing qualities. Attains enormous size, of fine appearance and good flavor. Usually blooms after all danger of frost is past.



CHERRIES.

The great beauty, excellent quality and productiveness, together with the earliness with which it comes into bearing, and the season of ripening, combine to make the cherry a most acceptable and popular fruit. Aside from the value of their fruit, many of the upright, strong growing varieties make healthful shade trees, either for the yard or street. The cherry succeeds best on a dry, moderately rich soil.

HEART AND BIGARREAU CHERRIES.

In Order of Ripening

Ohio Beauty. Large; white, with faint blushes of red; tender, sweet and juicy. An excellent and desirable cherry.

Gov. Wood. Large; ligh red; juicy, rich and delicious.

Black Tartarian. Very large, black; juicy, rich; excellent and productive.

Black Eagle. Large, black, tender juicy and rich.

Napoleon. Large; yellow and red, firm, juicy, sweet; very productive.

Contennial. A seedling of Napoleon, larger than its parent, and beantifully marbled and splashed with crimson. Its phenomenal sweetness is very marked. The finest canning and shipping light-colored cherry in the world. Ripens with Napoleon.

DUKE AND MORELLO CHERRIES.

- **Baldwin.** (New). Fruit very large, almost round, dark red, slightly subacid, the sweetest and richest of the Morello type. Remarkable for earliness, quality, vigor, hardiness and productiveness. Particularly profitable in the West.
- **Dyehouse.** This variety partakes of both the Morello and Duke in wood and fruit; a very early and sure bearer; ripens a week before Early Richmond; of better quality and quite as productive.
- **Early Richmond.** A fine early cherry of the Morello class. Flesh red; acid sprightly and rich; valuable for cooking.
- May Duke. One of the most popular sorts; large, dark red when ripe; rich, subacid.
- Large Montmorency. Larger and finer than Early Richmond, and one of the finest flavored Cherries in this class. The strong, hardy tree makes rapid growth and bears enormous crops. Valuable for canning and preserving. One of our best cherries.
- **English Morello.** Large, dark red, nearly black when ripe; tender, juicy and of a subacid flavor, hardy but slow grower.
- Louis Phillippe. Very productive; fruit large, roundish, regular; color rich dark, almost purple-black red; flesh red, tender, sprightly; mild acid; good to best.
- **Ostheim.** Of Russian origin. Better than Morello, hardy and productive. Every one should try it.
- Wragg. Fruit medium to large in size; long stem; color, dark purple when fully ripe; time of ripening very late.

PLUMS.

We are persuaded that this rich and luscious fruit does not receive the attention that its merit demands. They are always in demand for home use; and in the market they command such high prices as to make them very profitable to the grower. It is true that "vigilance is the price of plums" but it is vigilance that will be rewarded. The plum usually succeed best on a strong or rather clayey soil; but the "Wild Goose," and plums of that type do well on lighter soils.

SELECT VARIETIES. EUROPEAN TYPE,

Coe's Golden Drop. Large, yellow, rich and sweet; clingstone. Late.

- German Prune. Medium, purple or blue; best for preserving; productive.
- Lombard. Medium or above; reddish purple; flesh juicy and pleasant; vigorous and immensely productive.
- **Moore's Arctic.** A new hardy plum which originated in the highlands of Aroostook County, Maine, where unprotected and exposed to arctic colds, it has borne enormous crops. Skin purplish black, with a thin blue bloom; flesh greenish yellow, juicy, sweet, pleasant.
- Shipper's Pride. A large, dark purple, oval plum; very showy, often measuring two inches in diameter; fine, juicy and sweet; keeping a long time in excellent condition, rendering it very valuable for shipping. Medium.
- Shropshire Damson. An English variety; purple, with a thick bloom; productive and profitable. Late.
- **Prunus Pissardii.** An ornamental plum for the lawn; foliage is deep purplish blood color, and it retains its color better than any other purple-leaved tree. The fruit is medium-sized, nearly round, dark purple flesh, sweet, juicy and good.

IMPROVED CHICKASAW TYPE.

Varieties of this type are less liable to attacks of curculio than those of European origin, and combine vigor of growth with great productiveness.

Wild Goose. Large, somewhat oblong; bright vermillion-red; juicy, sweet; good quality; cling. Ripens middle of June; a very showy and fine market fruit; prolific bearer.

JAPAN PLUMS.

This class of plums are entirely distinct from our native varieties—they are vigorous growers, with large and distinct foliage, of wonderful productiveness, coming into bearing at an early age; fruit being of large size; very attractive appearance; excellent quality, firm texture, and possessing superior shipping qualities. These plums are admirably adapted to the South, and should be planted in every orchard and garden.

Abundance or Yellow Fleshed Botan. Round, with pointed apex, but varies from quite round to sharply pointed Skin yellow, ground heavily washed, purplish carmine and a darker cheek. Flesh yellow, very juicy, subacid with apricot flavor; quite firm; skin tough; clingstone; quality best; pit large. Maturity July 5th to 15th.

- Berckmans. (Sweet Botan.) Fruit medium to large, nearly round, skin green, nearly or quite covered with dull purple or blood red and a blue bloom; flesh yellowish, a little coarse grained, firm, sugary, excellent. Ripens with Abundance.
- Burbank. Ripe July 10th; habit spreading, tree healthy, rapid grower and vigorous. Frnit medium size, yellow, overspread with red, with lilac bloom. Yellow dots small and numerons. Flesh firm, yellow, quality good. Hangs well on the tree and is a good shipper. It usually overbears, and should be thinned.
- **Chabot.** Very vigorous grower, leaves large with inconspicuous reniform glands; young wood dark green; fruit oval heart-shaped, large, two inches in diameter; color greenish purple with little gray dots; suture distinct; small pit, flesh adhers; flavor very good. Ripens July 5th to 12th.
- Kelsey. Medium grower, fruit very large, flesh adhers; flavor excellent.
- **Ogon.** Fruit medium to large, round or slightly flattened, suture prominent; skin bright yellow, with a dark creamy bloom, giving the fruit a whitish appearance; flesh thick and very meaty, but not juicy; firm and long keeping; good, but not of the best quality; free.
- **Red June.** Solid red with blue bloom, does not drop, good quality, fine canning variety; tree healthy, hardy. A sure cropper,
- Satsuma. (Blood Plum.) Large, globular, color, dark red bloom, skin of lilac shade; flesh dark red, solid color from skin to pit, firm, rather juicy, good flavor; pit very small; July.
- **Prunus Simonii.** (*Apricot Plum.*) This plum is a native of northern China. Its fruits are very pretty, with a very short stem, size of Orleans plum, with brick-red or dark cinibar color, the flesh shows a fine apricot-yellow, firm, and has a peculiar aromatic flavor.
- Wickson. One of the largest of all plums, oblong, pointed, dark brownish red, quality very good, tree vigorous.

JAPANESE CROSS-BRED PLUMS.

- America. Large, glossy coral, red very beautiful; almost proof against rot and insect attack; young bearer, of wide adaptability.
- **Climax.** Its extreme earliness, immense size, high color, delicious flavor and fragrance, places it in the lead among early shipping plums. Fruit heart-shaped; color deep, dark red; flesh yellow. Tree vigorous and remarkably productive.
- **Chalco.** This new plum is a cross of the Simonii and Burbank, ripens just before Burbank, is large; flat like a tomato, deep reddish purple, with very sweet, rather firm, exceedingly fragrant yellow flesh, small seed, a superior shipping plum.
- Gonzales. Bright, clear red, very showy; firm, sweet, sprightly, heavy bearer, valuable; not quite hardy north.
- Sultan. Said to be one of the most attractive of plums; its huge size, deep purplish crimson color renders it a valuable market variety.

APRICOTS.

The Apricot is one of the most beautiful of the stone fruits, resembling the plum in shape, but downy like a peach, and partaking largely of its excellence and flavor.

- Early Golden. Medium, pale orange; flesh juicy, sweet and good; vigorous grower and productive.
- Moorpark. Large size; orange, brownish red in the sun: flesh quite firm, juicy, with a rich, luscious flavor; one of the best.
- **Newcastle Early.** From Newcastle California. By far the best very early apricot. Nearly as large as Royal and two weeks earlier; very valuable on account of its earliness; ships well. Tree regular bearer.

RUSSIAN APRICOTS.

The Russian Apricots are claimed to be in every way superior to the American varieties in early bearing and quality of fruit, as well as hardiness of trees and freedom from all disease.

- Alexander. An immense bearer. Fruit large yellow, flecked with red; both skin and flesh sweet; delicious, Season July 1. One of the best.
- Alexis. An abundant bearer. Fruit yellow, with red cheek; large slightly acid, rich and luscious. July 15.
- J. L. Budd. Strong and profuse bearer. Fruit large, white with red cheek; sweet; juicy, extra fine, with kernel equal to almond. Season August 1.
- Superb. An apricot of really excellent quality, worthy of wide planting in the territory where the tender European sorts will not thrive. Vigorous grower, heavy bearer, hardy in wood and bud, medium, roundish oval; dull yellow, with thin, tough skin; flesh dull yellow, firm, sub-acid.

NECTARINES.

A most delicious, smooth-skinned fruit with much the same quality and flavor as the peach, and the tree requires the same culture and treatment. It is liable to the rayages of the curculio, and should be treated as directed for plums.


Boston, Large; bright yellow, with red cheek; flesh yellow, sweet and pleasant.

Pitmaston's Orange. Large; orange and yellow, rich, excellent; freestone.

MULBERRIES.

Mulberries (especially the Hicks' Everbearing) are being planted extensively and are very profitable as furnishing feed for poultry and pigs during the summer months, one acre in mulberries furnishing more food than a much larger area in corn or any other grain.

- **Downings Everbearing.** Flesh rich, subacid; a good bearer and rapid grower; ripe May to July.
- Hicks' Everbearing. Flesh sweet, insipid; fine grower, bears large crops four months in the year; excellent variety for pigs and poultry.



Stubbs'. Tree very vigorous, and with broad foliage. Fruit very large, from $1\frac{1}{2}$ to 2 inches long, black, vinous and of excellent quality, greatly superior to any of the cultivated varieties. It is a wonderfully prolific bearer; fruit lasts nearly two months.

QUINCES.

The Quince is of late attracting a great deal of attention as a market fruit. Scarcely any fruit will pay better in the orchard. The tree is hardy and compact in growth; requiring but little space; productive, gives regular crops, and comes early into bearing. The fruit is much sought after for canning for winter use. It flourishes in any good garden soil, which should be kept mellow and well enriched. Prune off all the dead and surplus branches, and thin out fruit if bearing too freely.

- **Orange or Apple.** Large; oranged-shaped and of excellent flavor; the finest of the old varieties. Trees bear young and are very productive.
- **Champion**. The tree is strong, free grower, more like the apple than the quince, and usually come into bearing the second or third year. Very productive: and of the largest size; flesh cooks very tender; and is free from the hard spots or cores found in other varieties; flavor equal to that of the well known Orange variety. Ripens about two weeks later.
- **Meech's Prolific.** Fruit of large size, very handsome and attractive, of delightful fragrance and delicious flavor; cooks as tender as a peach. Remarkable for early bearing and great productiveness.

FIGS.

Brown Turkey. Medium size; color brown. fruit sweet and of excellent quality. Tree prolific and hardy.

Brunswick. Large, violet; sweet.

Celestial. Medium to small, very sweet, pale violet; vigorous productive; one of the hardiest; reliable further north than the others.

JAPAN PERSIMMONS.

(DIOSPYROS KAKI.)

This is a very valuable fruit for all the coast region, and as far up as the fig succeed. The trees are vigorous and bear early, the second or third year after transplanting, and most of the varieties are of excellent quality. They are eaten fresh or used for drying, after which process they are equal to the best figs. Some varieties bear specimens that weigh from twelve to sixteen ounces.

- Hachiya. (Yomato, Imperial.) Usually oblong and acute apex; 2¼ by 3 inches long; perfectly globular, specimens are, however, quite as numerous as the former; keeps very late.
- **Hyakume.** Large; globular, deep orange red; average three inches in diameter; keeps late; nearly always seedless.
- Tane-Nashi. Very large, roundish, conical, pointed, very smooth and symmetrical; diameter 3 inches longitudinally and 3¹/₂ inches transversely, color of skin light yellow, changing to bright red at full maturity, flesh yellow, generally seedless, astringent until fully ripe, then one of the best.
- Yemon. Round, flattened. deeply ribbed, dark orange red, 3 inches by 2½, average weight 7 onnces, although specimens weighing 16 onnces have been produced, very sweet and is edible while still solid, maturity from end of September to November, nearly always seedless.
- Yedo Ichi. Fruit large, roundish, oblate, skin vermillion, one of the best.
- **Zengi.** Although one of the smallest Japanese Persimmons, it is the most valuable and reliable of them all. Round or roundish oblate, color reddish yellow. It is of the dark meated class, being edible while quite hard.



NUT BEARING TREES.

These are coming into renewed popularity, as they deserve. They are mostly of easy and rapid growth, ornamental in appearance, and the timber is valuable in the manufacture of furniture, etc., while the fruits are delicious, as well as profitable commercially.


ALMOND

Hard Shell. A fine hardy variety, with a large plump kernel, very ornamental when in bloom.

CHESTNUT

American Sweet. This is our native species, smaller than the Spanish, but sweeter.

- Spanish, A hardy treee, producing nuts of very large size and good flavor; tree strong grower, valuable both for shade and fruit it produces.
- Japan Mammoth. Is one of the most valuable recent introductions from Japan. This makes a very ornamental lawn tree; comes into bearing at two or three years of age, bearing immense crops of nuts of enormous size.



Paper Shell. A beautiful, symmetrical and rapid-growing tree; of luxuriant foliage which it retains in the fall; producing valuable timber and heavy crops of sweet, oblong, smooth nuts of very good quality.

Pecan culture is rapidly increasing, there being few trees that yield as regular and larger income after they attain the bearing age.

Soft Shell. This is the ladies' favorite, and although preferable to the above, is not quite so hardy.

We recommend our patrons to plant only the best budded or grafted varieties such as the following :

- **Frotscher.** Nuts of lage size, 1_{4}^{i} to 2 inches long and about 1 inch in diameter; full and plump clear to the ends. Shell exceedingly thin—can be cracked in the hand. Meat of very fine quality and can be removed entire from the shell. We consider it one of the very finest varieties.
- **Russell.** A medium or large sized nut. 1¹/₂ to 1³/₄ inches long, oval and pointed, grayish brown with numerous small purplish black markings. Shell very thin, of excellent cracking quality; kernel plump and of good quality. This variety is a good grower with small, clean, characteristic foliage. Bear well and is a very satisfactory variety.
- Schley. Size medium to large, 1½ to 1% inches long; oblong, somewhat flattened; light reddish brown with a few small markings of purplish brown; shell thin, separating easily from the kernel; kernel full, plump, bright yellowish brown in color; flavor rich, nutty, in quality one of the best. Tree a good grower and on the whole a very excellent variety.
- **Stuart.** Nuts large or very large, 1_{4}^{3} to 2 inches long, oblong with brownish shell strongly marked with dark color. Shell of medium thicknesses and of very good cracking quality. Kernel full, plump, bright colored. In quality one of the best, the flavor being rich and sweet. A heavy bearer. Tree a strong grower, reaching an immense size, with large foliage.
- Van Deman. Large to very large, from 1% to 2% inches long, rather slender, pointed at both ends. Color reddish brown with purplish brown markings. Shell of medium thickness; cracking quality excellent. Kernel full and plump, bright brownish yellow; flavor sweet and good. Tree is vigorous, healthy with large bright foliage. Altogether one of the most desirable varieties.

ENGLISH WALNUT.

English Walnut or Maderia Nut. A fine, lofty growing tree with handsome spreading head. It is a profitable tree to plant, as it produces crops of excellent Nuts. The fruit in a green state is very highly esteemed for pickling, and the large quantities of ripe nuts that are annually imported and sold here prove the estimation in which they are held for the table.

JAPAN WALNUT.

Japan Walnuts in appearance of foliage resemble other Walnuts. The trees grow low and spreading, and assume a very handsome round head:mature early, bear young and are regular and abundant croppers. The trees make more rapid growth than any of the walnut or Hickory family, and are nicely adapted for yard or roadside planting. The leaves are of immense size and a charming shade of green. Their mass of fibrons roots render their transplanting as safe as that of an apple or peach.

GRAPES.

The Grape ranks among the most valuable of fruits. It comes so quickly into bearing, it is so hardy, vigorous and productive, requires such a small amount of space, and is so easily cared for, that no one need be denied the luxury of an abundance of grapes.

That these advantages in culture are equaled by the merit of the grape as food, has been fully demonstrated. This is not only generally admitted, but our most eminent physiologists also assert that among all the fruits that are conducive to regularity, health and vigor in the human system, the grape stands pre-eminent. As to profit, it is sufficient to state that grapes are a sure crop, and that they yield from two to six tons per acre. to enable any one to see that even at low prices they pay well.

The soil for grapes should be dry, deep and rich; a southern or southeastern exposure is best. The cultivation should be shallow, so as not to disturb the small roots near the surface. Train to stakes, trellises, walls, or the side of a building. Prune in mild weather any time after the leaves drop in fall and before saps starts in spring.

CLASS I-RED GRAPES.

- **Agawam.** (Rogers' No. 15.) A dark red grape of the Hamburg cross; bunches large, compact, frequently shouldered; berries very large, with a thick skin; pulp soft; sweet, sprightly; vine very vigorous; ripens early.
- **Brighton**, An excellent grape; bunch large, well formed, compact; berries above meidum to large, round, Catawba color, excellent flavor and quality without any foxy aroma. Early.
- **Catawba**. A standard sort of good quality, and in favorable locations very valuable. Late.
- **Delaware.** Red; bunch and berry medium; shouldered, compact, heavy; skin thin; pulp teuder, rich, juicy, vinous, sugary; one of the best and highest flavored of all American grapes; a fair grower—very productive and hardy where it finds a congenial spot. Ripens early.
- **Goethe.** (Rogers' No. 1.) A strong, healty vine, producing large crops of beautiful bunches, berries very large, pale red, flesh tender and melting, ripens late, very valuable in the South. Very late.
- Lutie. Ripe July 10 to 20; red; one of our earliest red grapes; very prolific; strong grower; berry large, juicy and of unusually fine flavor; bunches large and handsome.
- **Perkins.** As early as Hartford, pale red, with lilac bloom, sweet; fair quality, better than Hartford. Very productive and healthy.

CLASS II—BLACK GRAPES.

Campbell's Early. Clusters large and handsome; berries large nearly round; black with light purple bloom; flesh rather firm, but tender; quality rich, sweet, slightly vinous; a strong and vigorous grower, with healthy foliage; it ripens very early; the berries do not drop easily from the clusters, and the fruit keeps a long time in perfection.

- **Champion**. This variety is valued chiefly for its earliness; being a number of days earlier than the Hartford, and nearly or quite equal to the latter in flavor.
- **Clinton.** Bunches small and compact, berries round, black, pulpy, juicy, of medium quality, valuable for wine and culinary purposes. Late.
- **Concord.** Black, early, decidedly the most popular grape in America; and deservedly so. Bunch large, shouldered, compact, berries large, covered with a rich bloom, skin tender, but sufficiently firm to carry well to distant markets if properly packed, flesh juicy, sweet, pulpy, vine a strong grower, very hardy, healthy and productive.
- Hartford Prolific. Bunches large; berries large, round and dark, of medium quality; hardy and prolific. Very early.
- **Ives' Seedling.** Bunches medium to large, compact often shouldered, berries medium, slightly oblong, of a dark purple color; early.
- Moore's Early. Bunch large; berry large, round; color black, with heavy blue bloom; vine exceedingly hardy, entirely exempt from mildew or disease. Its earliness makes it desirable for an early market; its hardiness particularly adapts it to Canada and northern portions of the United States; succeeds admirably in the South.
- Norton's Virginia. Well known as one of the most reliable and healty wine grapes; will also keep well for winter use, and though small, is very sprightly. Late.

CLASS III-WHITE GRAPES.

- **Diamond.** White; bunch large, compact, shouldered; berries large round; skin thick, firm; flesh tender, juicy, with but little pulp. Vine a good grower, with thick, healthy foliage; said to be hardy and productive. This is a white grape of fine quality, ripening a little before Concord.
- Martha. Of medium size in bunch and berry; flesh somewhat pulpy, a little foxy, but good. Hardy and productive. Earlier than Concord.
- Niagara. White; bunch very large and handsome, sometimes shouldered, compact; berries large. round, skin thin, tough, does not crack, and carries well; not much pulp when fully ripe; melting, sweet, with a flavor and aroma peculiarly its own and agreeable to most tastes; ripens with Concord, sometimes a little earlier. Vine very vigorous and very productive, succeeding well both North and in many parts of the south, is being very largely planted.
- **Pocklington.** Supposed to be a seedling of the Concord, a very strong grower, entirely hardy and extremely productive; color light golden yellow when ripe; bunch of good size; berries large and thickly set on the stems.

SOUTHERN MUSCADINES.

Succeed in deep, rich soil throughout the South.

- James Grape. (of the Rotundifolia Class.) A black grape, bunches larger than the Scuppernong, berries very large, some measuring $\frac{7}{3}$ of an inch in diameter; late; prolonging the grape season until frost, fine for wine, very productive and profitable. Every southern home should have this variety.
- Scuppernong. Ripe last of August and first of September. White; bunches small, berries large and round; skin thick, Flesh pulpy, juicy, of splendid flavor. Free from rot, rapid grower and an immense bearer.

RASPBERRIES.

The Raspberry succeeds best in a deep rich soil, and will well pay generons treatment. The sucker varieties should be planted from two to three feet apart in rows that are five to six feet apart. Three to five canes should be left in hill to bear fruit, and others should be cut out as they appear. Good clean culture is necessary to obtain best results.

Varieties that root from the tip should be planted from $2\frac{1}{2}$ to $3\frac{1}{2}$ feet apart in rows that are 6 to 7 feet apart, varying in distance according to the richness of the soil and the habit of growth of the different varieties.

- **Cuthbert.** (Queen of the Market.) The latter title is indeed true, since as a market variety it is a reigning sort. Of large size and fine flavor, reliable and an enormous bearer; rich crimson, firm, excellent market and shipping; largely used everywhere, and best color.
- **Gregg.** The largest, best and handsomest hardy black raspberry; fully 50 per cent. larger than the Mammoth Cluster, and very far superior. Is a dark purple berry, very large, early, and ripens the entire crop in about two weeks; canes hardy, fruit of good quality, and an enormous bearer; grows from tips, not suckers.
- Haymaker. We recommend this new Raspberry as the most productive in cultivation. It is an Ohio seedling of the tall, strong-growing Columbian type, with berries similar in color, size and texture, but a little more acid, and produced in even heavier crops. The one great raspberry for market growers.
- Miller. Berry is as large as Cuthbert, holding its size to the end of the season; round in shape; color bright red, does not fade, but will hold its color after shipment longer than any other red variety; core very small, does not crumble making it the firmest and best shipping berry in existence; has not the flat taste of some varieties. but a rich, fruity flavor entirely its own. The time of ripening is with the very earliest. Productive, equal to any.

BLACKBERRIES.

Plant 7x4 feet, in good soil, moderately manured. Prune same as raspberries.

Early Harvest. Medium size; hardy, productive and early, good for general use.

- **Eldorado.** The vines are vigorous and hardy, and their yield is enormous. The berries are large, jet black, borne in large clusters, and ripens well together; they are very sweet, melting and pleasing to the taste, have no hard core, and keep eight or ten days after picking with quality unimpaired.
- **Erie.** Berries large and nearly round, appearing thus even larger than they really are; of good quality. The canes are strong, with healthy foliage, hardy, free from rust, supporting heavy crops of fruit. Ripens between Early Harvest and Wilson.
- Wilson's Early. Old, and has done its share of good for the country; ripens early and matures its whole crop in two weeks; familiar everywhere; good.
- Lucretia or Trailing Blackberry, A new and valuable acquisition; fruit when ripe is very large, and of superior quality; an enormous bearer and extremely hardy, propagates from the tips and does not sprout.

GOOSEBERRIES.

This fruit is of importance, being highly valued in its green state for pies, tarts, puddings, etc., coming in use earlier than any other. When ripe it is very agreeable as a dessert fruit. The plants require a deep soil, well manured, and if inclined to be dry should be mulched to retain the moisture. The bushes should be thoroughly thinned and pruned to obtain large, fine fruit.

- Houghton's Seedling. An American seedling and has proved exempt from mildew. It is a rapid, vigorous grower and great bearer, the branches being literally covered with fruit. Medium to small size, red; quality fair.
- **Downing's Seedling**, Larger than the Houghton's; free from mildew; new and highly recommended; of fine quality.
- **Josselyn**. An American seedling of large size, smooth, prolific and hardy, of best quality. Has been tested over a wide extent of territory by the side of all the leading varieties, and so far the freest from mildew, both in leaf and fruit, of them all. A wonderful cropper, with bright clean, healthy foliage.

CURRANTS.

Set four feet apart in rich ground; cultivate well or nucleh heavily; prune out old wood, so as that each remaining shoot will have room to grow. If the currant worms appear, dust with powdered white hellebore every three weeks. Manure freely, Do not succeed in Gulf States.

- Cherry. Of large size and fine appearance; vigorous and productive.
- Fay's Prolific. As compared with Cherry, is equal in size and flavor, contains less acid' and is much more prolific; most valuable.
- **Pomona**. Deserves prominence for its splendid market qualities. The fruit is of good size and flavor. bright red, long-stemmed, hangs in fine condition long after ripening, ships and markets well. The bushes bear early and have an unparalleled record for actual acreage yield.
- Red Dutch. Old, reliable and of best quality.
- White Grape. Excellent for dessert use because of its mildly acid flavor and large handsome clusters of golden green or white berries. Fruitful.
- **Dwarf Juneberry**; Fruit borne in clusters; reddish purple, changing to bluish black. Excellent for canning, The fruit is eagerly devoured by birds, which leave the finest fruits untouched where this is plentiful.



STRAWBERRIES.

Strawberries are the earliest, most welcome; and among the most wholesome of summer fruits, and are of such easy culture that no one having a rod of ground need be without them. Any good rich garden soil will grow them. For garden culture; set the plants from fifteen to eighteen inches apart each way; and for field culture, in rows three feet apart and ten to fifteen inches apart in the rows. Keep ground cultivated thoroughly.


Locality influences this fruit more than any other cause, and we cannot therefore, depend upon the same variety thriving equally well in different soils. The following varieties, however, will be found suitable to most soils. All have perfect blossoms, unless marked P.; meaning pistillate. These latter should be planted near perfect-flowering sorts when they are usually very productive. Our plants are all grown from new plantations the first year, and are much better than plants from old beds.

- **Bubach's No. 5.** (P.) Combines many excellent qualities, such as great and uniform size, fine form and color, good quality of fruit, unsurpassed productiveness, and great vigor of plant. It ripens almost as early as the Crescent, and continues about as long in bearing, and is fully as prolific,
- **Crescent**. (P.) An enormously productive variety, and although acid, is of handsome appearance and best for market, early.
- **Gandy**. Is a good grower, has a perfect blossom, is fairly productive, and is late in commencing to ripen. The fruit is large, bright scarlet in color, of good flavor, and gives out a most delicious aroma.
- **Excelsior.** A popular early variety, probably the earliest variety of any merit, very popular in the extreme South, being short, conical, dark red, firm and a good shipper; productive for an early variety.
- Klondyke. This variety originated in the South. The plant resembles the Lady Thompson in foliage, habits and growth. The preference to Klondyke over
- the Lady Thompson is the large size berries, the high color and its firmness, making it one of the finest berries in cultivation as a shipper.
- Haverland. (P.) A fine grower, very productive, one of the leading early market sorts. Berries uniform, long, medium size and quality good.
- Lady Thompson. Large, even sized; good color; early and productive; good shipper; fine flavor; strong, healthy growth; one of the best.
- Michel's Early. Plant a strong grower, in most sections productive; berries medium size, roundish, bright crimson, fair quality. One of the first berries to ripen and worthy of planting everywhere on that account.

ASPARAGUS.

Conover's Colossal. A mammoth variety of vigorous growth, sending up from fifteen to twenty sprouts each year from one to two inches in diameter; color deep green, and crown very close.

Ornamental Department.



The country or suburban house that has its shade trees, its shrubbery, and its flowers, has hallowed memories to win back the hearts of those who wander from it walls, and brighten their darkest hour. The home that has no green spot and shade at its door will not be so endeared to its innuates as it otherwise would be. The condition of rural improvement is an index to the taste and general growth and refinement in any community. But ornamental planting not only increases the beauty but adds greatly to the value of farms and homesteads. Take, for instance, two farms of equal size and quality; the one judiciously ornamented with trees, shrubs and flowers, the other without any of these beauties; and the one with the ornamental planting will command an advance of more than five times the cost of planting and attending to the trees and plants. For this latitude we have an immense variety to select from. We have the best deciduous trees, the finest evergreens and the numerous flowering shrubs. Our stock of ornamental trees and plants comprises not only the popular and well tried varieties, but also most of the new ones that promise to be really desirable. They are all grown with the greatest care, the evergreens frequently transplanted, and all prepared for successful removal. Our patrons are always welcome to the benefit of our experience.

How to Plant.

Preparation of the Roots. Cut off smoothly all bruised or broken roots up to the sound wood. This prevents their decaying and hastens the emission of new roots and fibers.

Preparation of the Top. This consists in cutting back the top and side branches in such a way as to correspond with the more or less mutilated roots: as follows:

Trees with branching heads should have the small branches cut clean out, and the larger ones, intended for the framework of the tree, cut back to within two or three buds of their base.

In cases where there is an abundant root, and small top or few branches, the pruning need be very light, but where the roots are small and the top heavy, severe pruning will be necessary. These remarks are applicable to all deciduous Trees and Shrubs. Evergreens seldom require pruning.

Deciduous Trees.

BEECH (*Fagus.*)

Purple-Leaved. (*F. Purpurea.*) A remarkable tree; dark purplish leaves, in strong contrast with green leaves of other varieties.

European (F. Sylvatica.) Leaves more shiny than the American species.

POPLAR. (*Populus.*)

Carolina. A vigorous, healthy, native tree, of rapid growth. Pyramidal in form, with large glossy leaves; valuable for park or street planting. It is free from attacks of insects, and will endure the coal smoke and gas of cities.

BIRCH (Betula.)

European White Birch (B. alba.) A rapid growing tree, highly ornamental.

ELM (Ulmus.)


This class of trees is well known, and is desirable for street planting.

American White. A noble drooping, spreading tree of our own woods; one of the grandest of park and street trees.

Scotch. A fine, spreading tree, of rapid growth; foliage large,

MAPLE (Acer.)

Morway. A distinct foreign variety, with large broad leaves of a deep, rich green. Rounded form, compact habit, stout vigorous growth. One of, if not the best for all purposes.



TEXAS UMBRELLA TREE.

- Schwedleris. Schwedler's Norway Maple. B. A beautiful variety, with the young shoots and leaves of a bright purplish or crimson color, which changes to purplish green in the older leaves. One of the most valuable trees.
- Silver-leaved. Foliage bright green above, and silvery white beneath; one of the most rapid growers, hardy and easily transplanted; where immediate effect or shade is wanted it is one of the best. Largely used for street and park planting,
- Sugar or Rock. A very popular American tree, and for its stately form and fine foliage, justly rans among the very best, both for the lawn and avenue.

PRUNUS PISSARDII.

One of the most remarkable trees of recent introduction; the foliage is dark purple and retains its color very late in season; the fruit is also purple and handsome.

TEXAS UMBRELLA TREE.

A sub-variety of the China Tree. It assumes a dense spreading head, resembling a huge umbrella; is of unique appearance, and a most desirable shade tree of rapid growth.

Deciduous Weeping Trees.

BIRCH (*Betula*.)

Cut-leaved Weeping. (B. luciviata bendula.) An elegant erect tree with slender, drooping branches and fine cut leaves. A magnificent variety, and vor av of a place on every lawn.

MULBERRY.

Teas' Weeping. The most graceful and hardy weeping tree in existence. Wholly unlike anything heretofore introduced. Forms a perfect umbrella-shaped head, with long, slender, willow branches, drooping lo the ground. All who have seen it agree that in light, airy gracefulness and delicacy of form and motion it is without a rival. It will undoubtedly take the foremost place among weeping trees; it has beautiful foliage, is wonderfully vigorous and healthy. Admirably adapted to ornamenting small or large grounds, or cemetery planting.

WILLOW. (Salix.)

Babylonian Weeping. A well known and most graceful tree of large size. Its fresh bright green tint, and long, wavy braches make it very attractive.

Flowering Shrubs.



SPIREA VAN HOUTTI.

We would urge the more extended use of shrubs for ornamental effects, both for large and small places. Where there is plenty of room they should be used in masses, including a large range of varieties, and thus used, a very choice foliage and flower effect can be produced for a long season. In parks they are very ornamental when used in clumps, masses and groups, and by careful arrangement of varieties the effect may be made surprisingly showy.

Our shrubs are all strong, well-rooted, transplanted stock from open ground. Once carefully planted in suitable positions they increase in size and beauty from year to year, and require but little further care.

ALTHAE or Rose of Sharon. (*Hibiscus Syriacus.*) There are many varieties of this beautiful shrub, differing in color and shape of the flowers. They are hardy plants, easy of culture and especially desirable on account of blooming during the autumn months when there are few flowers. We offer many fine varieties comprising a choice collection of European and American varieties in white, purple, crimson and variated colors; both single and double.

Althea variegata, Leaves margined with creamy white; a conspicuous plant.

BERBERIS (*Barberry*.)

The Barberries are neat, dense-growing shrubs, useful in many ways and beautiful at all seasons. Their masses of white, yellow or orange flowers are showy in spring, their leaves color brightly in fall, their scarlet, blue or black berries are persistent through most of the winter. Their dense growth and sharp spines form a hedge useful as well as ornamental. All sorts are perfectly hardy and will grow in any sunny, well-drained position.

- **B.** Thunbergi. (*Thunberg's Barberry.*) Inimitably neat and dense in growth, yet quite graceful because of its drooping branches. The yellow flowers are followed by scarlet fruits persistent through most of the winter; the leaves color to scarlet and gold in autumn. For low hedges, borders of taller shrubs, planting around the bases of buildings, and a dozen other uses, the landscape gardener finds no other shrubs so good.
- **Var. purpurea.** (*Purple Barberry.*) A showy and effective shrub, similar to *B. vulgaris* in habit, but with fine purple leaves that contrast beautifully with its flowers and with other shrubs.
- **CALYCANTHUS Floridus.** (Sweet Scented Shrub.) An interesting shrub, having a rare and peculiar fragrance of wood and flowers; its blooms are abundant and of a singular chocolate color.
- **CHIONANTHUS Virginica.** White Fringe. A fine shrub or small tree, with large foliage and racemes of delicate greenish white flowers, resembling cut paper.
- CITRUS Trifoliata. (Hardy Lemon.) This has now been in our test grounds for over ten years, and, we are pleased to state has proved hardy without protection, a fact we would not believe until we had proved it. The lemons, though small in size compared with those in the markets, are exceedingly beautiful. It fruits freely and blooms in spring with wonderful profusion. The blossoms are large, pure white, and impart the same fragrance as other oranges. In habit the tree is dwarf, upright and with abundant, rich dark green, three-lobed foliage, which remains upon the tree until after frosts, and then falls. So valuable as to merit cultivation for its beauty alone, or for its delightfully fragrant blossoms, which are produced during almost the entire spring, summer and autunin, and which render it equal to the Gardenia. Its advantage as a hedge plant are its naturally a dwarf tree and will need but little trimming to keep within bounds. It has safely withstood a temperature of eighteen degrees below zero entirely unprotected.
- **CORCHORUS Japonica.** (Globe Flower.) Very neat small shrub with bright green-pointed leaves and yellow blossoms, as large as a cent, of much beauty. Nothing grows easier and no shrubs bloom more constantly. Very desirable.
- **CORNUS Sanguinea**. (Red-branched Dogwood.) A native sort, conspicuous in winter, when the bark is blood-red.

ELEAGNUS LONIPES. (Japan Oleaster.)

A showy shrub of strong, bushy growth, with silver variation in the lining of its leaves, which are dark green above. Its fragrant, creamy white blossoms open in Aprsl or May; the scarlet, edible fruits hang thickly along its branches and are ripe in July. They make delicious sauces.

36

HYDRANGEA

- H. arborescens grandiflora alba. This magnificent hardy American shrub is the very finest addition to this class of plants found in many a year. The blooms are of the very largest size, of pure snow-white color, and the foliage is finely fin-ished, lacking entirely the coarseness found in Hydrangea paniculata grandiflora. One of its most valuable characteristics is its coming into bloom just alter the passing of all the early Spring shrubs, while its long season of bloom from early June through August, renders it doubly valuable, not only to the florist, but to every owner of a garden; perfectly hardy, standing 20 degrees below zero.
- H. panlculata grandiflora. Large Panicle-flowered Hydrangea. A fine shrub growing from 8 to 10 feet high; flowers white, in great pyramidal panicles a foot long, and produced in August and September, when very few shrubs are in flower; one of the finest flowering shrubs.

CYDONIA JAPONICA. (Japan Quince.)


These are among the first spring-blooming shrubs, flowers appearing before the leaves. Some varieties are of straggling growth and should be kept pruned in any form desired. Some of these produce medium sized fruit; which makes good jellies.

- **DEUTZIA**, **Double-flowering**. (*Crenata flore-pleno*.) Flowers double white, tinged with rose; one of the best of this class.
- Alba flore-plena. Similar to Crenata. but pure white and double,
- **Parviflora.** Small shrub, reaching hardly 5 feet in height, branches straight, leaves elliptical or lanceolate; gives a profusion of beautiful white flowers.
- **Slender Branched.** (*D. gracilis.*) A very fine and delightfully growing shrub. Its pure white flowers are produced in great abundance; it will thrive anywhere and is desirable for pot culture; can be easily flowered in a low temperature in winter.
- **LAGERSTROMIA** (*Crape Myrtle.*) Indica alba. White; a desirable variety; blooms when 18 inches high..

New Crimson. Vivid crimson.

LIGUSTRUM.

- **Privet.** (Amoor River or Russian.) This is the most beautiful hedge plant grown. It has a luxuriant glossy leafage and thick clusters of fragrant white flowers. Hardy, free-growing, of dense neat habit; attractive all the year, in berry, leaf or flower. Makes a beautiful specimen plant, a fine screen, group or hedge.
- **Privet.** (California.] One of the finest for hedges where it does not winter kill. The foliage is large and glossy, and is almost everyreen.
- **PHILADELPHUS Coronarius.** (Mock Orange.) A well-known shrub producing masses of white, sweet scented flowers,
- **PUNICA Granatum.** (The Poinegranate.) Well known and deservedly popular fruit and ornamental shrub. Attains the size of a small peach tree; flowers red, except in*one variety, and very showy.
- **RHUS Cotinus.** (Smoke or Mist-Tree.) Much admired for it curious fringe or hair-like flowers, which cover the whole surface of the plant in midsummer.



Syringa Vulgaris, var. Bertha Dammann.

SPIRAEA.

SPIRAEA Billardii. Handsome rose-colored flowers; in bloom nearly all summer.

- **Bumalda, var. "Anthony Waterer."** Introduced by the Knap Hill Nursery, Woking, England. It is a sport from the preceding, and has beautiful rich crimson flowers. The bloom is continuous throughout the season. One of the most important additions to our list of Spiraeas.
- **S.prunifolia**. (*Plum-lea-ved Spiræa*) A tall, erect-growing shrub, with lanceolate leaves, and a great profusion of small very double white flowers before the foliage in early spring. The bloom extends the entire length of the branches hence the common title of "Bridal Wreath."
- **Thunbergii.** Dwarf, flowers white; very early in spring. This variety is suitable for a low hedge for cemetery lots.

- Van Houttei. The grandest of all the Spiraeas. It is a beautiful ornament for the lawn at any season, but when in flower it is a complete fountain of white bloom, the foliage hardly showing. Clusters of twenty to thirty flat white florets make up the raceme and these clusters are set close along the drooping stems. Perfectly hardy, and an early bloomer.
- Syringa. (1.ilac.) A beautiful shrub or tree, with which all are familiar. The principal varieties are:

Common Purple. (S. vulgaris.) A well known shrub, with purple, fragrant flowers.

- var. Frau Dammann. Panicle very large: flowers of medium size and pure white; fine,
- var. Ludwig Spaeth. Panicle long; individual flowers large, single; dark purplish red; distinct; superb.
- var. Presidont Grevy. A beautiful blue; individual flowers very double and very large; the panicle is magnificent; one of the fluest lilacs.

SYMPHORICARPUS VULGARIS.

(Coralberry.)

These shrubs are valued for their bright, persistent fruits; and because they will flourish in dense shade or poor soil where nothing else will grow. Purple fruit.

S. RACEMOSUS.

(White Snowberry.

Inconspicuous, rose-colored flowers in June and July; followed by large, milkwhite, clustered fruits which last far into winter.

- VIRBUNVM Opulus. (Snowball) Produces large, globular clusters of white flowers, a favorite old shrub.
- Virburnum Plicatum. (Japan Snowball.) Of moderate growth:, handsome plicated leaves, globular-heads of pure white neutral flowers early in June. It surpasses the common variety in several respects; its habit is better, foliage much handsomer, flowers whiter and more delicate; one of the most valuable flowering shrubs.
- **WEIGELIA, Rose Colored.** (*Dier-villa rosia.*) A very charming shrub bearing an abundance of rosecolored flowers in May. It is very hardy and should be planted in all collections.
- **Candida.** A vigorous, erect grower, producing a great profusion of pure white flowers in June, and plants continue to bloom throughout the summer. The only really white Weigelia.

Variegated-leaved. (D. rosea fol. variegata.) Leaves bordered with yellowish

white; one of the finest variegated-leaved shrubs.



Hardy Climbing Vines.

- **AMPELOPSIS Veitchii** (Boston Ivy.) A beautiful, hardy climbing plant, of Japanese origin. This is one of the finest climbers we know for covering walls, as it clings firmly to the smoothest surface, covering it smoothly with overlapping leaves, which form a perfect mass of foliage, The color is a fresh deep green in snumer, changing to the brightest shade of crimson and yellow in autmun. It is quite hardy and becomes more popular every year.
- **CLEMATIS, Large-flowering.** Within the last few years great attention has been given to these valuable plants, and many elegant varieties have been obtained bearing magnificent flower af large size and exquisite coloring. For garden and conservatory decoration, either as climbers on walls, trellises or verandas, old trees or ruins, or as specimens on the lawn, or for massing in large beds on the lawn, they have scarcely an equal, and certainly no superior.

Jackmanni. Large, rich violet purple; of vigorous growth, and most popular of all.

Henryi. White, large.

John Gould Veitch. Double, light blue.


SMALL-FLOWERING CLEMATIS.

- **Coccinea.** A very handsome hardy climber, bearing thick, bell-shaped flowers of bright coral-red. Blooms with wonderful profusion from June until frost.
- **Paniculata.** (*Sweet-scented Japan Clematis.*) Of very rapid growth, quickly covering trellises and arbors with handsome, clean, glossy foliage. The flowers are of medium size, fragrant, pure white, borne in immense sheets in September, when very few other vines are in bloom.

LONICERA. Honeysuckle.

- L. Belgica. (Monthly Fragrant, or Dutch Honeysuckle.) Blooms all summer. Red and yellow, very fragrant flowers.
- L. brachypoda aureo reticulata. (Japan Golden-leaved Honeysuckle.) A handsome and very desirable variety, with the foliage beautifully netted or variagated with yellow,
- L. Halleana. (Hall's Japan Honeysuckle.) A strong, vigorous, almost evergreen sort, with pure white flowers, changing to yellow. Very fragrant, and covered with flowers from July to December; holds its leaves till January. The best bloomer of all.
- L. scmpervirens. (Scarlet Trumpet Honeysuckle.) This and its varieties are the handsomest in cultivation. It is a strong, rapid grower, and produces scarlet inodorous flowers.
- WISTARIA (Glycine.) Chinese White (W. Sinensis alba.) Introduced by Mr. Fortune from China, and regarded as one of the best acquisitions.
- **Chinese Purple.** (*W. Sineusis purpurea*) A most beautiful climber, of rapid growth producing long, pendulous clusters of pale blue flowers; when well established, makes an enormous growth, it is very hardy, and one of the most superb_vines ever introduced.

EVERGREENS.




SPRUCE KOSTERIANA.

Great care must be exercised in transplanting evergreens not to let the roots dry ont. As the sap is resinous in nature, when once congealed it will not recover. We pack with moss, and cover the roots with matting or cloth as soon as dug. Also the ground should be firmly transped around the tree.

- **ARBOR Vitae**(Thuya.) **American** (Occidentalis.) This plant is one of the finest evergreens for hedges. It is very hardy and easily transplanted, few or no plants ever failing if properly trained specimens are obtained. It grows rapidly and with little care, or rather by easy management, it soon forms a most beautiful hedge, very dense, and perfectly impervious to the sight. Of course it is never adapted to turn stock, but it forms a most desirable and ornamental screen to divide the lawn from other parts of the grounds, or for any other purpose.
- **Golden Arbor Vitae.** (Aurea,) A beautiful variety of the Chinese, the foliage being tipped a bright yellow; a handsome, compact grower.
- **Pyramidalis.** This exceedingly beautiful Arbor Vitae is the most compact and erect of all the entire species, being in form almost a counterpart of the Irish Juniper. Foliage a deep green, retaining its color remarkably well through the entire season and perfectly hardy.
- **CEDAR Deodar** (*Cedrus deodara*.) A native of the Himalaya mountains, where it is known as the "Tree of God;" it is perfectly hardy here and the most beautiful of evergreen trees.
- **JUNIPERUS Hibernica**. (Irish Juniper.) Very erect and tapering in its growth, forming a column of deep green foliage. A pretty little tree or shrub, and for its beauty and hardihood is a general favorite.
- **PICEA Concolor.** From Colorado; a beautiful tree with a bright foliage of silver and green and purple in varied contrast.
- **P. Nordmannianna** (Nordmann's Silver Fir.) Medium size, but of symmetrical form and majestic growth; horizontal branches with large massive dark green foliage, glaucous underneath, producing a rich and delicate effect that is quite indescribable.
- **P. Pungens.** (Colorado Blue Spruce.) Without doubt the finest hardy evergreen yet introduced. Indigenous to Colorado. Of medium size, pyramidal form compact habit and with long thickly set broad foliage of a beautiful bluish steel green color; showing different hues as exposed to light from different sides. A most charming; perfectly hardy and valuable variety.
- Retinospora Plumosa. An exceedingly handsome small evergreen from Japan, with a feathery, light green foliage.
- **Retinospora Plumosa Aurea.** Like the preceding, a plant of great beauty; foliage soft plume-like, of a golden yellow color; close and compact habit; should be in every amateur collection.
- Retinospora Squarrosa. Dense growth; soft beautiful silvery blue foliage, arranged iu spirals.
- Retinospora Pisifera Aurea. Of beautiful golden form; foliage full rich yellow, the deepest shade of all golden evergreens.
- **Spruce Kosteriana.** The finest of all blue evergreens. Our stock of this variety is grafted; of extra fine color; imported from the best growers of Europe; will be handled with a ball of earth, each plant burlapped.
- Spruce Douglas. From the mountains of Colorado. A rapid grower; leaves light green above, glaucous below, Conical form, branches spreading, light and graceful.

42



MAGNOLIA GRANDIFLORA.

- **Spruce, Caerulea.** A very desirable variety with fine leaves of a sky blue color; very graceful and desirable.
- **SPRUCE, Hemlock** (*A. Canadensis.*) Pyramidal form, moderate growth; drooping branches and delicate, spray-like foliage distinct from all other trees: a beautiful lawn tree and hedge-piant.
- **Spruce.** Norway. (*A. excelsa.*) One of the best evergreen trees; lofty, erect and symmetrical, the smaller branches drooping in the older specimens, which gives it a very graceful appearance. It is being extensively planted for protective screens; for lawn planting it is unsurpassed for its majestic beauty, but, also for its extreme hardiness.

Broad-leaved Evergreen Trees and Shrubs.

- **BOX.** Tree Box (*Buxus sempervjrens.*) A fine, small evergreen, with pale green leaves; can be trained in any desirable form by shearing.
- **Dwarf Box** (B. Suffruticosa.) Used principally for borders and edging.
- **Euonymous Japonicus** (Chinese Box.) A glossy-leaved shrub; fine for planting singly or for hedges, easily trimmed in any desired form.
- **MAGNOLIA Grandiflora.** The queen of broad-leaved evergreens. Tree large, and naturally forms a beautiful shape, shining green above, brown beneath; flowers very large, pure white, and deliciously fragrant. If you only plant one ornamental tree plant this one. This variety of the magnolia is, by all odds, the handsomest evergreen tree in the South. Its large shining green foliage accompanied in May with large, fragrant, milky-white flowers, places it preeminently above ornamental trees. This, as well as all evergreens, requires to be handled and planted very carefully, as they are extremely sensitive to injury from drying. Their roots should never be allowed to get dry when out of the ground. In transplanting broad-leaved evergreens from the open ground (such as magnolia, holly, etc.) the leaves should always be clipped off at the time of transplanting. Cut all the leaves off, leaving only a part of the leaf-stalk.

Hedges and Screens.

By using medium-sized plants, a hedge can be made as cheaply as a good board fence, and then, with a little care, it becomes every year more and more a thing of beauty. Such hedges continue as a principal attracton in our best kept places.

For a hedge fence that will turn stock, a hedge of Hardy Lenion (*Limmonium Trifoliatum*), is very desirable. It is perfectly hardy in this latitude, of strong growth and will flourish in almost any soil. It readily submits to the necessary pruning, but in fact, requires but little pruning, it can easily be made to assume any desired shape, and having an abundance of sharp thorns it is especially adapted to make a close, firm, and almost impenetrable barrier. It is also very beautiful, having large pure white blossoms in the spring with the same fragrance as other oranges and in the autumn when it is covered with little yellow lemons it is an object of special beauty.

Among plants adapted to ornamental hedges, we would name the American Arbor Vitae, Hemlock Spruce, Eunonymous Tree and Dwarf Box as being especially adapted for evergreen ornamental hedges. Among shrubs for hedges are Armour River Privet, Japan Quince, Spirea Van Houtte, and the Common Purpleleaved and Thunberg Barberry. A very desirable hedge can be made by intermingling flowering shrubs, and clipping or allowing them to grow naturally.

As a general rule of guidance, we offer the following brief hints on their management: After thoroughly working the soil of a strip at least four feet wide and as long as the hedge is to extend, open a trench through the middle ot the strip, and with a careful person to hold and range the plants, let one or more assistants thoroughly pulverize and fill in the soil about the roots. Before setting, dip each plant in a thin puddle of mud, and place evergreens from 15 to 18 inches apart in the row; deciduous shrubs, including Privet should be put 9 inches apart,

ROSES.



HYBRID TEA ROSES.


CULTURE HINTS.

When the bushes are received plant them at once. Prepare the rose bed by digging out the soil to about eighteen inches deep; mix the topsoil thoroughly with compost or rotten cow-manure and rotten-cotton-seed; fill the hole with this. If the bush has several branches, cut off all but two of the strongest; cut these back to about three inches of their juncture with the stalk; plant as deep as they grow in the nursery, keep them well fertilized and clean of weeds, etc. Do not elevate the bed—but rather let it be lower than the surrounding surface; this will to a certain extent prevent their suffering from drouth. Cut back every year fully onehalf of the previous year's growth of wood and your flowers will be much finer and the bushes more vigorous. Do not permit them to make seed.

Our roses are two years old, of vigorous growth and perfectly healthy, and comprise all of the best and most reliable sorts. They are outdoor grown and hardy.

EVERBLOOMING MONTHLY ROSES.


- **Bon Silene.** A rose that will always be popular; color, rosy carmine heavily shaded; of delightful tea fragrance.
- **Bessie Brown**. Vigorous as an oak. Blooms of an enorous size, perfect in shape. Snow white, faintly tinted pale blush. Always in bloom.
- **Blumenschmidt**. (H. T.) Pure citron yellow, outer petals edged tender rose, a sport from Franciska Kruger which it resembles in form, and has a more vigorous growth. Winner of three first premiums.
- **Bridesmaid.** A sport from Catherine Mermet, retaining all the good qualities of that fine variety with the addition of certain charms not possessed by it. The Bridesmaid is of the same exquisite shape and contour of bud, solid and firm, and the stems are just as long and stiff, but it is in the color that it excels the parent, being about two shades deeper, just enough to make it bright; and rendering it the finest pink rose in cultivation. It is a great acquisition.
- **Catherine Mermet.** A beautiful, clear flesh color, with the same silvery lustre seen in La France; large, full, well formed; very beautiful in the bud.
- **Cornelia Cook.** Very large pure white buds and flowers; one of the finest white roses.
- **Catherine Zeimet. New Double White Baby Rambler.** This is surely a beauty and a great addition to the Baby Ramblers. It grows to a height of 20 inches. and produces douple pure white flowers in abundance. It has a fragrance similar to Hyacinths. Of free compact growth and very attractive. Produces a sheet of white color.
- **Dean Hole.** An intense salmon-pink with bud of extraordinary length, opening into a mammoth bloom of splendid substance. An English gold medal rose that is bound to rank with the very best in this country. A fine grower.
- **Devoniensis.** (Magnolia Rose.) Beautiful creany white, with rose center; large, very full and delightfully sweet; Magnolia fragrance.



FRAU KARL DRUSCHI

- **Duchesse de Brabant or Comtesse de la Barthe.** This rose combines exquisite perfume, beautiful coloring and a matchless profusion of flowers and foliage. How shall we describe its coloring? A soft, light rose, with heavy shading of amber and salmon. Quite hardy, and in every respect admirable.
- **Etoile de Lyon.** A magnificent rose; brilliant chrome-yellow; deepening at the center to pure golden yellow; flower large, very double and full and deliciously fragrant.
- **Etoile de France.** Vigorous in growth and of strong constitution, soon forming a a fine upright bush and troubled with few thorns. Has fine buds, borne singly on long, stiff stems, flowers very large, full and of cup form, dark crimson in color, center vivid cerise. Fragrant and lasting.
- Frau Karl Druschki. (White American Beauty.) The most regal of white roses; as free flowering as the best of the Hybrid Teas, as hardy as the H. P.'s. as vigorous as a hardy climber; these qualities make it an ideal bedder, and at the same time it is a profitable forcer, as it comes in immense crops when properly rested between; round and queenly in form, above luxuriant foliage and on stout stems, it seems perfection.

CATALOGUE OF EXCELSIOR NURSERIES.



- Freiherr von Marschall. A tea rose with long pointed bud, flower large and full; stem stiff and long; color dark carmine red. Very free, a vigorous grower.
- Hermosa. An old favorite, always in bloom and always beautiful; the flower is cupped, finely formed and full; color the most pleasing shade of pink, soft but deep.
- Helen Good. A true sport from Maman Cochet, duplicating its habit and foliage exactly, while the color is quite new and distinct, a delicate

pink, each petal edged deeper, making an exquisite arrangement of color. A splendid addition to our limited number of summer blooming varieties.

- Helen Gould. Immense, full, perfectly double flowers, as large as American Beauty produced on long, strong shoots, highly fragrant, Color warm rosy crimson.
- Joseph Hill. This new rose is an extraordinarily strong; heavy grower, producing stiff canes and dark foliage. The bud is enormously large and long pointed, opening into a monster bloom of the most beautiful and clear shades of pure salmon, bright pink and pure gold. Very distinct.
- **Killarney.** Bright carmine pink, marbled in creamy white; petals extremely large and of a texture that makes it one of the most lasting of roses; this variety has the longest bud on the stiffest stem that we have ever seen; it is a fine grower, with beautiful foliage; very free in producing strong ground shoots; a favorite with customers wherever it is known.
- **His Majesty.** The color is a fine, dark crimson, shaded deep vermillon crimson towards the edges, and frequently overlaid with a rich velvety shading it has been called the crimson Frau Karl Druschki. Awarded Gold Medal National rose Society 1908.
- Kaiscrin Augusta Victoria. A beautiful new Tea rose of German origin, with elegant large pointed buds and very large, full double flowers, Color delicate creamy white, deliciously fragrant. Plant is strong, healthy grower and constant bloomer. The flowers are on strong, stiff stems with rich glossy foliage, making it one of the finest roses for corsage wear or any other use.
- Mad. Joseph Schwartz. White beautifully flushed with pink; plant grows with great vigor; is extremely free with its flowers, of medium size, cupped and borne in clusters.
- Madam Welche. An extra fine variety; very large, double and of beautiful rounded form; a soft, pale yellow, sometimes cream, with short inner petals of glowing orange and copper, Not to be forgotten if once seen.

- Maman Cochet. Undoubtedly the finest bedding rose of recent introduction; it is an extra strong, clean, vigorous grower, producing its charming buds and flowers in the greatest profusion; its color is of a deep rose pink, the inner side of petals silvery rose; they are borne on long, stout stems, very double and simply exquisite when in bud or half bloom.
- Marie Guilott. Perfection in form; flowers large and double to the center. This variety holds first place among white Tea roses in purity of color, depth of petals and queenlinees of shape; grows well and is healthy. The best white rose for general purposes grown, and deservedly popular among rose lovers on that account.
- Marie Van Houtte. Pale yellow, the edges of petals lined with rose; well formed, fragrant and of good habit. Very free blooming; and in every respect[®] a charming sort. One of the finest for outdoor culture.
- **Mme.** Constant Soupert. A fine grower, with enormous buds sharply pointed and plump; color deep golden yellow tinted and shaded with rosy peach. One of the finest of recent introductions; with good, stiff stems and elegant dark foliage.
- **Mrs. B, R. Cant.** A fine garden variety, of even shade of salmon rose. round and full, the form of a good H. P. A very free grower and free bloomer. It flowers as continuously and as freely as a China rose, and is especially fine in autumn. A splendid addition to our standard bedders.
- **Papa Gontier.** A magnificent red Tea. It is a strong grower; with fine healthy foliage; the buds are large and long, with thick broad petals of dark carminecrimson color, changing to a lighter shade in the open flower. An excellent winter-blooming variety, and one of the best for outdoor planting, opening up it flowers in beautiful shape when in the open ground.
- **Perle des Jardins**. Beautiful straw color, sometimes deep canary; large, full and of fine form; next handsomest Tea rose to Marechal Niel, and a freer and surer bloomer, but of dwarf growth.
- **Rhea Reid.** As large as American Beauty. As double as Bridesmaid. As fragrant as LaFrance. As continuous as Bride. Has a perfect constitution which resists both mildew and black spot. Makes the most rapid growth from young stock plants in full production of any variety that we have ever handled. In the municipal gardens, Bagatelle, at Paris, this rose was awarded the Gold Medal of the municipality as the finest rose among S4 sorts tested.
- Safrano. Bright apricot yellow, changing to orange and fawn, sometimes tinted with rose; valued highly for its beautiful buds; fragrant.
- Souvenir da la Malmaison. A noble rose. The flower is extremely large, quartered and double to center. Color a flesh white, clear and flesh.
- **The Bride.** This is decidedly a most beautiful Tea rose. It is a sport from Catherine Mermet, with which it is identical in growth and shape of flowers. The flowers are very large and double, on stiff, long stems, of fine texture and substance, and lasts a long time in a fresh state after being cut, making it one of the best varieties for corsage wear or bouquets. During extremely hot weather it becomes pinkish white, at other times a beautiful pure white,
- **Wm. Shean.** A fine grower, throwing up long stiff canes, crowned with large pointed flowers of Killarney pink; full, free and perpetual; one of the very largest of roses. Color grand.

Wm. R. Smith. As a summer bedder this variety ranks quite up with the two Cochets; produces immense quantities of fine flowers of creany white with pink shadings; the strongest growing of all summer bedders, making a fine branching bush in one year's time. Has firm, glossy foliage and long flower stems.

EVERBLOOMING MONTHLY ROSES OF CLIMBING HABIT.

- **Climbing Meteor.** This rose has gained a world-wide reputation as the finest crimsom everblooming climbing rose in cultivation. It is a rich velvety crimson, much like the forcing rose Meteor, of which it is a sport. An extremely strong growing variety, making shoots 12 to 15 feet long in a single season under favorable circumstances.
- **Cloth-of-Gold.** Pale yellow with deeper center; large, very vigorous.
- **Gloire de Dijon**. Noted for its large-sized flower, its delicate rea scent, and its exquisite shades of color, being a blending of amber, carmine and cream.
- Lamarque. Flowers of medium size, borne in large clusters, pure white and double; a most beautiful rose.
- Marechal Niel. Beautiful deep yellow, large, and of globular form; very sweet; shoots well clothed with large shinging leaves; a magnificent variety.
- Reine Marie Henriette. A strong growing red climbing rose. It is a grand pillar rose in the South; flowers full and well formed.

POLYANTHA ROSES.

Clothilde Soupert. (Dwarf Polyantha.) Large flowers, beautifully formed, of a pearly white color; shaded at center, silvery rose; extra in every respect.

HYBRID TEA ROSES.

This class combines, to a certain extent, the rich colors of the Hybrid Perpetuals with the free-blooming habits of the Teas.

- American Beauty. This variety has been rightly described as an everblooming Hybrid Perpetual. The flowers are very large, of beantiful form and very double. Color a deep rich rose. The fragrance is delightful, resembling LaFrance or the old Damask rose. It is truly an everbloomer, each shoot producing a bud.
- La France. One of the most beautiful of all roses, and is unequaled by any in its delicious fragrance; very large, very double and superbly formed. It is difficult to convey any idea of its beautiful coloring, but the prevailing color is light silvery rose, shaded with silver-peach and often with pink.
- Meteor. A rich, dark, velvety crimson, everblooming rose, as fine in color as the best of the Hybrid Perpetual; the flowers are of good size, very double, and perfect in shape, either as buds, or when fully opened; the plant is vigorous and remarkably free flowering. A splendid sort for culture, and the best of all the Hybrid Teas, as bedding variety for summer-cut flowers, as it retains its color well even in the hottest weather, with no shade of purple to mar the purity of color, that is its chief beauty.

HYBRID PERPETUAL ROSES.

Captain Christv. Delicate flesh color, shaded rose in the center; a large and finely formed flower.

Coquette des Alps. White full, of fine form; very free.

General Jacqueminot. Brilliant scarlet crimson; very fine and a standard sort.

General Washington. Scarlet crimson; one of the best.

John Hopper. Rosy crimson, back of petals lilac; large and full.

- Mabel Morrison. White faintly tinged with pink; a great addition to our white roses.
- Mad, Charles Wood. Vivid crimson, shaded purple; large, bold flower; a constant bloomer.
- Magna Charta. A splendid English sort; bright, clear pink, flushed with violetcrimson; very sweet; flower extra large; fine form; very double and full; a free bloomer.
- Marshal P. Wilder. Color bright cherry carmine; fragrant; of vigorous growth with fine foliage, One of the freest of the Hybrid Perpetuals to bloom; we can recommend this rose without hesitation.
- **Mrs. John Laing.** One of the most perfect Hybrid Perpetual roses in cultivation; free in flowering; of elegant shape and very fragrant; color of a soft delicate pink with a satin tinge; a vigorous grower, every shoot producing a magnificent bloom, even until late in the autumn.

Paul Neyron. Deep; very large, good form and habit; very vigorous.

- Ulrich Brunner. Bright cherry-red; flowers large and full; a good strong grower and always does well.
- Vick's Caprice. The flowers are large, ground-color soft satiny pink, distinctly striped and dashed with white and carmine. It is beautiful in the bud form, being quite long and pointed, also showing the stripes and markings to great advantage.

MOSS ROSES.

Alice Leroy. Fine, clear pink flowers, fragrant; an extra-fine sort, worthy of cultivation.

Luxembourg. Dark crimson, one of the best; a favorite with all who know it.

Henry Martin. Fine, rosy pink; large, full, globular; an excellent rose in every respect.

Perpetual White. Pure white; blooms in clusters; a lovely variety.

HARDY CLIMBING ROSES.

These, for their hardiness and profusion of flowers, recommend themselves to all lovers of the beautiful. They are admirably adapted to cover arbors, walls, and unsightly objects, and are always ornamental in any situation.

Baltimore Belle. Pale blush, nearly white; one of the best white climbers.

- Beauty or Queen of the Prairie. Bright rosy red, large and cupped; a splendid grower.
- **Crimson Rambler.** (Polyantha.) A vigorous growing climbing rose, producing a profusion of small crimson flowers in trusses. It is a most showy plant while in bloom during April and May.
- Yellow Rambler. (Aglaia.) Of same habit as Crimson Rambler, but flowers of a light yellow.
- **Dorothy Perkins.** This is said to be a hybrid of Wichuriana and Madame Gabriel Luizet. It is a vigorous and rampant climber. The foliage is of a deep green, leathery texture, and remains on the plant nearly all winter. The flowers are from 1 to 1½ inches iu diameter, borne in clusters of from 10 to 30, and very double, of a beautiful shell-pink color, Remains in bloom for several weeks. A most desirable new climbing Rose. Most effective for planting on terraces and slopes.
- **Trier.** Mr. Peter Lambert;s grand hardy climber, blooming in clusters, color pure white, nice and full, but opening to show a crown of golden anthers. We feel sure that this rose will rank with Cr. Rambler and Lady Gay when once it is known; beautiful beyond words.





